




**CZ**

**PRODUCT CATALOGUE**



**WE DISTRIBUTE OUR PRODUCTS  
TO ALMOST 100 COUNTRIES  
AROUND THE WORLD**




Scan to find  
the nearest CZ dealer,  
store or service center.

The technical specifications provided  
are for orientation purposes only and  
may vary according to the specific  
configuration. The manufacturer  
reserves the right to make changes or  
modifications at its sole discretion.

## CONTENTS

|   |            |
|---|------------|
| <b>PISTOLS</b>                          | <b>10</b>  |
| CZ 75 LEGEND                            | 12         |
| CZ SHADOW 2 SERIES                      | 14         |
| CZ TS 2 SERIES                          | 30         |
| CZ P-10 SERIES                          | 38         |
| CZ P-09 NOCTURNE SERIES                 | 52         |
| ADAPTERS KADET                          | 60         |
| <b>CENTERFIRE RIFLES</b>                | <b>64</b>  |
| CZ 600+ SERIES                          | 66         |
| <b>RIMFIRE RIFLES</b>                   | <b>98</b>  |
| CZ 457 SERIES                           | 100        |
| <b>SHOTGUNS</b>                         | <b>134</b> |
| CZ-USA FIELD SPORTS SERIES              | 136        |
| <b>SEMI-AUTOMATIC RIFLES / CARBINES</b> | <b>142</b> |
| CZ SCORPION EVO 3 S1/S2 SERIES          | 144        |
| CZ BREN 2 Ms SERIES                     | 154        |
| <b>ACCESSORIES</b>                      | <b>160</b> |

A man in tactical gear, including a helmet with a headlamp and goggles, is holding a CZ handgun. The handgun is silver and black, with "MADE IN CZECH REPUBLIC, CZ" visible on the slide. The background is a dark, textured wall. The right side of the image features a repeating pattern of CZ handgun silhouettes in grey and red.

"THE MOMENT YOU HOLD A CZ FIREARM IN YOUR HAND YOU EXPERIENCE AN INTUITIVE, FAMILIAR CONNECTION. A CONNECTION THAT SEEMS SMOOTH AND WELL KNOWN, LIKE MEETING AN OLD FRIEND. A CONNECTION THAT GIVES YOU ASSURANCE, CALMNESS AND A STEADY HAND TO SUCCESSFULLY PERFORM IN ANY SITUATION.

THIS CONNECTION AND THE DESIGN OF OUR FIREARMS ALLOWS THEM TO FIT WITH EVERY TASK AND MISSION. BE IT SPORT SHOOTING, HUNTING, MILITARY SERVICE OR LAW ENFORCEMENT, OUR FIREARMS ARE DEVELOPED TO HELP YOU SUCCEED.

THAT IS WHAT YOU GET FROM CZ. A FIREARM WITH INTUITIVE AND NATURAL HANDLING PRECISELY FIT FOR A GIVEN PURPOSE."



***Dear Customers, Business Partners, and Supporters of the CZ brand,***

Welcome to our product catalog, which reflects the best of the CZ brand's tradition, innovation, and technical sophistication.

**Ceska zbrojovka (CZ)** is one of the key pillars of the international **Colt CZ Group**, a leading global manufacturer of small arms, ammunition, ballistic protection, and related accessories for professional and civilian users worldwide.

2025 was an exceptionally successful year for CZ. We confirmed our strong position on the global market, both in terms of business and financial results, as well as in terms of the trust we have built with key institutional customers. The conclusion of a contract with the Bundeswehr (German armed forces) for the supply of pistols, together with our ongoing cooperation with the Army of the Czech Republic, represent an important endorsement of the quality, reliability, and long-term value of our products.

We also added new products to our extensive product portfolio, among which the **CZ SHADOW 2 CARRY, CZ P-10 C PORTED**, and limited edition **CZ 75 RAF** pistols stand out, as well as the new generation of **CZ 600+** series of bolt-action centerfire rifles. These new products continue the CZ brand philosophy of offering users maximum shooting comfort, precise workmanship, and top-notch ergonomics.

We are entering 2026 with a clear vision for the further development of our portfolio. New products in January include the **CZ 75 LEGEND** and **CZ 457 TARGET** models, which proudly continue the legacy of the CZ brand and carry it into the present.

I wish you all the best in the choice of your new CZ firearm. And if this is your first experience with our brand, I am honored to welcome you to the ever-growing community of CZ customers and supporters.



Jan Zajic  
CEO and Chairman of the Board of Directors  
Ceska zbrojovka a.s.

# LIFETIME BARREL WARRANTY



High precision, impressive durability, and a long service life. These are just a few of the many advantages that come with cold forged barrels. Cold hammer forging is a very complex and demanding process that is not easy to master. Many manufacturers are replacing it with simpler and cheaper methods, such as extrusion or broaching. However, the resulting product lacks some of the key characteristics found in cold hammer forged barrels. For many years, CZ has only offered cold hammer forged barrels with its firearms. As a result, this key component of every gun is ready for even the most demanding use. And because we have full confidence in our barrels, we are providing a lifetime barrel warranty for selected products. But first, let's take a closer look at how cold hammer forging works.



## HOW DO WE MAKE OUR BARRELS?

The cold forging process involves a mandrel (a carbide rod with a mirror image of the rifling profile) being inserted into a polished hole in the barrel blank. The barrel is then placed in a "forging machine", a very precise machine that hammers the entire length of the blank using four specially designed and angled hammers made of sintered carbide or hardened steel. As a result of repeated blows by the hammer, the chamber, bore, and barrel rifling are formed around the mandrel with high dimensional precision and extremely tight tolerances. The hammers are also used to shape and extend the barrel to its final length.

## ACTIVATE YOUR LIMITED LIFETIME WARRANTY TODAY!

And if the benefits of cold hammer forged barrels were not enough, CZ introduced a lifetime warranty in 2024 for the barrels of all firearms manufactured from 1 January 2019 onwards. The warranty not only covers any manufacturing defects, but also the loss of CZ barrel accuracy throughout their service life. If your barrel exhibits manufacturing defects or a reduction in accuracy, it will be repaired or replaced free of charge. In the event that repair or replacement is not possible, you will receive a purchase voucher in the amount of the barrel's suggested retail price.



Activating the warranty is easy, just sign up for the CZ customer club via **QR code** or go to <https://club.czguns.com/>.

But that's not all! In the customer club, you can also create your own online shooting diary, keep up with the latest information from the world of CZ, and download the manual for your gun. You can even use it to contact our customer support.

We look forward to welcoming you to the club!



# PISTOLS



CZ leads the world with a comprehensive line of advanced pistols that sees continuous innovation and expansion of models. We have an ideal firearm for everyone. All categories are covered, from supercompacts to full-size models and sport specials. Pistols within the different series are made from both traditional and modern, cutting edge materials with a selection of hammer-fired and striker-fired models. Keeping with the latest trends, selected models come ready for the installation of a suppressor and/or red dot sight.

# CZ 75 LEGEND

Designed without modern technologies or computer simulations, the CZ 75 was the result of pure engineering genius – paper, pencil, and the vision of Frantisek Koucky. Its grip fits naturally in almost any hand, its inverted slide rails deliver remarkably soft recoil, and its simplified trigger system provides a lighter and more consistent double-action pull. Now, the original CZ 75 returns exactly as it left the factory in the 1970s, offering a rare opportunity to experience the true “Wonder Nine” in its purest form.



## Legends run forever.

Becoming a legend takes more than excellence. It takes being one of a kind. From the very beginning, the CZ 75 set new standards by combining outstanding comfort, mild recoil, and an exceptionally refined SA/DA trigger in a compact, highcapacity handgun.



| MODEL        | CALIBER | MAGAZINE CAPACITY | WEIGHT with empty magazine (g) | DIMENSIONS L x W x H (mm) | BARREL LENGTH (mm) | SIGHTS   | THREAD | TRIGGER PULL (N) | TRIGGER TRAVEL (mm) | TRIGGER RESET (mm) | FRAME                         | GRIPS | SAFETY FEATURES                                      |
|--------------|---------|-------------------|--------------------------------|---------------------------|--------------------|--|--------|------------------|---------------------|--------------------|-------------------------------|-------|--|
| CZ 75 LEGEND | 9 x 19  | 12                | 710                            | 170 x 32 x 119            | 89,5               | Plain black front sight, Fully adjustable rear sight | No     | 25±4             | 9±1                 | 4                  | Fiberglass-reinforced polymer | –     | Trigger safety, Trigger bar safety, Firing pin block |

# THE MOST POPULAR FIREARMS FOR COMPETING IN THE IPSC PRODUCTION DIVISION

The CZ SHADOW 2 series is a family of high performance, large-capacity steel pistols for today's dynamic sport shooting disciplines. Models within this series allow good shooters to perform extremely well and the best shooters to win the most prestigious IPSC competitions.



CHOICE OF  
**ERIC GRAUFFEL (FRA)**

CZ SHOOTING TEAM  
TEN-TIME IPSC WORLD CHAMPION  
WINNER OF 2024 USPSA CARRY OPTICS NATIONALS  
USER OF CZ SHADOW 2

# CZ SHADOW 2 SERIES

MAIN FEATURES OF THE  
**CZ SHADOW 2 SERIES**



Ergonomic, deep-seated grip for improved control during shooting



Height adjustable rear sight for easy aiming



Adjustable magazine release button for maximum reloading speeds



1mm fiber optic front sight ensures high visibility and speeds up precise aiming



Cold hammer forged barrel



Extended left safety button also serves as thumb rest (CZ SHADOW 2 SA and CZ SHADOW 2 ORANGE)



Smooth trigger pull and shortened reset

Born from sport,  
tailored for EDC.

# CZ SHADOW 2 CARRY

The CZ SHADOW 2 CARRY uniquely combines the safety and functionality of a compact, double-action pistol designed for everyday carry with the exceptional ergonomics and shooting comfort of an IPSC/USPSA champion firearm. Built on sport-proven foundations, it offers intuitive handling, fine-tuned controls, and a trigger system based on the legendary CZ 75, delivering a smooth and crisp trigger pull in both double- and single-action modes.



Designed with EDC in mind, the CZ SHADOW 2 CARRY features a compact and lightweight frame forged from durable EN AW-7075 T6 aluminum alloy, an ambidextrous decocker, and a firing pin block for enhanced safety. The Optics-Ready slide with a direct Shield RMSc footprint allows for mounting a red dot sight while retaining fixed iron sights as a reliable backup. Completing the package is a cold hammer forged barrel backed by a lifetime warranty, ensuring long-term accuracy, durability, and confidence in every situation.



| MODEL             | CALIBER | MAGAZINE CAPACITY | WEIGHT with empty magazine (g) | DIMENSIONS L x W x H (mm) | BARREL LENGTH (mm) | SIGHTS      | THREAD | TRIGGER PULL (N) | TRIGGER TRAVEL (mm) | TRIGGER RESET (mm) | FRAME                 | GRIPS     | SAFETY FEATURES                                      |
|-------------------|---------|-------------------|--------------------------------|---------------------------|--------------------|-------------|--------|------------------|---------------------|--------------------|-----------------------|-----------|--|
| CZ SHADOW 2 CARRY | 9 x 19  | 15                | 870                            | 191 x 38 x 138            | 102                | Luminescent | -      | SA: 21 DA: 53    | SA: 9±1 DA: 15 ±1   | 6-7                | Forged aluminum alloy | Duralumin | Decocker, Safety notch (on hammer), Firing pin block |

**Compact. Light-Weight.  
Pure Performance.**

# CZ SHADOW 2 COMPACT

**NEW**



Red dot sight is not included in the package.



The CZ SHADOW 2 COMPACT is not only the perfect choice for sport shooting, but also for all-day carry, including concealed carry. Its range of use is further expanded with a mounting interface, compatible with CZ SHADOW 2 OR pistols, for attachment of a red dot sight.



The CZ SHADOW 2 COMPACT is an ideal compact size pistol for users and fans of the CZ SHADOW 2. With a partial reduction in size, and a significant reduction in weight, it retains all of the key strengths of the series, which are led by the shooting comfort and accuracy that have made the CZ SHADOW 2 pistol a winner at the world's most prestigious championships.

| MODEL               | CALIBER | MAGAZINE CAPACITY | WEIGHT with empty magazine (g) | DIMENSIONS L x W x H (mm) | BARREL LENGTH (mm) | SIGHTS  | THREAD | TRIGGER PULL (N) | TRIGGER TRAVEL (mm) | TRIGGER RESET (mm) | FRAME                 | GRIPS     | SAFETY FEATURES                           |
|---------------------|---------|-------------------|--------------------------------|---------------------------|--------------------|---|--------|------------------|---------------------|--------------------|-----------------------|-----------|---|
| CZ SHADOW 2 COMPACT | 9 x 19  | 15                | 900                            | 191 x 35 x 138            | 102                | Fiber optic front sight, Checkered rear sight | -      | SA: 15 DA: 46    | SA: 3-4 DA: 12      | 3-4                | Forged aluminum alloy | Duralumin | Manual safety, Safety notch on the hammer |

Bullseye every time.

# CZ SHADOW 2 TARGET 6"

The philosophy of the CZ Shadow 2 Target is based on complete customization to each shooter's needs. The high level of adjustability available to the user is key. This goes hand in hand with an emphasis on tight tolerances, resulting in absolute accuracy. Its new features will put a new trophy on your shelf. Really! The CZ SHADOW 2 TARGET 6" features a 6" polished and hand-fitted barrel.



# CZ SHADOW 2 TARGET 5"

The CZ SHADOW 2 TARGET excels in high accuracy and durability, due to its cold hammer forged barrel that is covered by a CZ lifetime barrel warranty. In addition, the 5" barrel is polished and hand-fitted to provide uncompromising performance. Other new features include an adjustable trigger shoe and enlarged undercut on the trigger guard for better grip, together with modified controls and slide serrations for more comfortable handling.

A longer sight radius with a fully adjustable rear sight ensures exceptional accuracy, while adjustable trigger pull allows customization to the shooter's personal preference.



| MODEL                 | CALIBER | MAGAZINE CAPACITY | WEIGHT with empty magazine (g) | DIMENSIONS L x W x H (mm) | BARREL LENGTH (mm) | SIGHTS   | THREAD | TRIGGER PULL (N) | TRIGGER TRAVEL (mm) | TRIGGER RESET (mm) | FRAME | GRIPS | SAFETY FEATURES                           |
|-----------------------|---------|-------------------|--------------------------------|---------------------------|--------------------|--|--------|------------------|---------------------|--------------------|-------|-------|---|
| CZ SHADOW 2 TARGET 5" | 9 x 19  | 17                | 1245                           | 217 x 45 x 143            | 122                | Plain black front sight, Fully adjustable rear sight | -      | SA: 5-20         | 3-4                 | 3-4                | Steel | G 10  | Manual safety, Safety notch on the hammer |
| CZ SHADOW 2 TARGET 6" | 9 x 19  | 17                | 1285                           | 248 x 45 x 143            | 153                | Plain black front sight, Fully adjustable rear sight | -      | SA: 5-20         | 3-4                 | 3-4                | Steel | G 10  | Manual safety, Safety notch on the hammer |



PRODUCTION



PRODUCTION OPTICS

Ideal firearm for the IPSC Production Optics Division.

# CZ SHADOW 2 ORANGE OR

An advanced, innovative sport pistol design that elevates your shooting experience and results in competitions to the highest level. The superb design base of this model has been further improved by precise gunsmithing modifications and the use of top-quality sport shooting components. A new feature is an extremely low and highly durable interface for mounting today's compact red dot sights.

Red dot sight is not included in the package.



## ERIC GRAUFFEL

used the **CZ SHADOW 2** to win multiple titles in the Production division:

**WORLD CHAMPIONSHIP TITLE AT THE 2025 IPSC HANDGUN WORLD SHOOT MATLOSANA, SOUTH AFRICA**

**EUROPEAN CHAMPIONSHIP TITLE AT THE 2023 EUROPEAN HANDGUN CHAMPIONSHIP CORINTH, GREECE**

| MODEL                        | CALIBER | MAGAZINE CAPACITY | WEIGHT with empty magazine (g) | DIMENSIONS L x W x H (mm) | BARREL LENGTH (mm) | SIGHTS  | THREAD | TRIGGER PULL (N) | TRIGGER TRAVEL (mm) | TRIGGER RESET (mm) | FRAME | GRIPS     | SAFETY FEATURES                           |
|------------------------------|---------|-------------------|--------------------------------|---------------------------|--------------------|---|--------|------------------|---------------------|--------------------|-------|-----------|---|
| <b>CZ SHADOW 2 ORANGE OR</b> | 9 x 19  | 19                | 1330                           | 217 x 42 x 157            | 120                | Fiber optic front sight, Checkered rear sight | -      | SA: 15 DA: 46    | SA: 3-4 DA: 12      | 3-4                | Steel | Duralumin | Manual safety, Safety notch on the hammer |





Your ticket to the world of IPSC Production Division champions.

# CZ SHADOW 2

The CZ Shadow 2 is an all-steel, large-capacity SA | DA pistol that is currently the most celebrated firearm in today's dynamic sport disciplines. This model is used by winners of the most prestigious IPSC shooting competitions.



## CZ SHADOW 2 OR

The CZ SHADOW 2 pistol is extremely fast, yet at some shooting stages, it can be even faster. How is that possible? By using today's compact red dot sights. The OR (Optics-Ready) model allows for their easy, exceptionally low and secure attachment.



| MODEL                 | CALIBER          | MAGAZINE CAPACITY | WEIGHT with empty magazine (g) | DIMENSIONS L x W x H (mm) | BARREL LENGTH (mm) | SIGHTS  | THREAD | TRIGGER PULL (N) | TRIGGER TRAVEL (mm) | TRIGGER RESET (mm) | FRAME | GRIPS     | SAFETY FEATURES                           |
|-----------------------|------------------|-------------------|--------------------------------|---------------------------|--------------------|---|--------|------------------|---------------------|--------------------|-------|-----------|---|
| <b>CZ SHADOW 2</b>    | 9 x 19, 380 Auto | 19 / 18           | 1330                           | 217 x 34 x 157            | 120                | Fiber optic front sight, Checkered rear sight | -      | SA: 15 DA: 46    | SA: 3-4 DA: 12      | 3-4                | Steel | Duralumin | Manual safety, Safety notch on the hammer |
| <b>CZ SHADOW 2 OR</b> | 9 x 19           | 19                | 1330                           | 217 x 34 x 157            | 120                | Fiber optic front sight, Checkered rear sight | -      | SA: 15 DA: 46    | SA: 3-4 DA: 12      | 3-4                | Steel | Duralumin | Manual safety, Safety notch on the hammer |



**RECOMMENDED  
ACCESSORIES**

# A NEW GENERATION OF SA SPORT PISTOLS OPTIMIZED FOR THE IPSC STANDARD DIVISION

Since 2005, the TS – TACTICAL SPORTS label has been given to top sports specials based on the legendary CZ 75 model. The CZ TS 2 series is the result of development activities that draw upon the extensive experience of CZ Shooting Team, together with today's most advanced design principles and manufacturing processes.

 **KAHLIL  
VIRAY**

CHOICE OF  
**KAHLIL ADRIAN VIRAY (PHL)**

**IPSC WORLD CHAMPION  
CZ SHOOTING TEAM  
CZ TS 2 ORANGE USER**

# CZ TS 2 SERIES

MAIN FEATURES OF THE  
**CZ TS 2 SERIES**



Height adjustable metal rear sight (CZ TS 2 DEEP BRONZE, CZ TS 2 RACING GREEN and CZ TS 2 ORANGE)



1 mm red fiber optic front sight for quick and intuitive aiming



Attractive design of the slide, frame and sport hammer



Extended manual safety on left side



Single-Action (SA) only trigger mechanism with short travel and quick reset



Improved ergonomics contribute for extreme shooting comfort



Aggressive checkering ensures a firm and tactile grip



# CZ TS 2 ORANGE

A sport special developed in accordance with the latest trends in the IPSC Standard division. Its main, new feature is a heavy polished barrel, which has a number of advantages, chief among them more control during very quick, repetitive shots. Extra cocking serrations are placed on the top edge of the slide.

The barrel-to-slide and slide-to-frame are hand-fitted to achieve the smallest possible tolerances for optimized operation. This model also comes with a thin profile thumb rest with ideal placement, higher positioned ambidextrous manual safeties and an adjustable rear sight. The duralumin grips, adjustable magazine release button, magwell and magazine base plate are made from orange anodized duralumin.



CHOICE OF  
**KAHLIL ADRIAN VIRAY**

**STANDARD DIVISION WORLD CHAMPION  
AT 2022 IPSC HANDGUN WORLD SHOOT  
PATTAYA, THAILAND**



| MODEL                 | CALIBER | MAGAZINE CAPACITY | WEIGHT with empty magazine (g) | DIMENSIONS L x W x H (mm) | BARREL LENGTH (mm) | SIGHTS   | THREAD | TRIGGER PULL (N) | TRIGGER TRAVEL (mm) | TRIGGER RESET (mm) | FRAME | GRIPS     | SAFETY FEATURES                           |
|-----------------------|---------|-------------------|--------------------------------|---------------------------|--------------------|--|--------|------------------|---------------------|--------------------|-------|-----------|---|
| <b>CZ TS 2 ORANGE</b> | 9 x 19  | 20                | 1470                           | 225 x 45 x 149            | 130                | Fiber optic front sight, Height adjustable visor - |        | SA: 8            | 3-4                 | 3-4                | Steel | Duralumin | Manual safety, Safety notch on the hammer |
| <b>CZ TS 2 ORANGE</b> | 40 S&W  | 17                | 1460                           | 225 x 45 x 149            | 130                | Fiber optic front sight, Height adjustable visor - |        | SA: 8            | 3-4                 | 3-4                | Steel | Duralumin | Manual safety, Safety notch on the hammer |

## CZ TS 2 DEEP BRONZE

A sport special with hand-fitted, custom components for competing in the IPSC Standard Division. It features a Deep Bronze finished frame and polished barrel. The flat grips, magazine base and adjustable magazine release are made from black anodized duralumin. A flat slide release and thumb rest come as standard.



STANDARD



## CZ TS 2 RACING GREEN

A more advanced design of the sport special for the IPSC Standard Division with flat, green anodized duralumin grips and magazines with green anodized base plates. Advanced features include increased user comfort, a height adjustable rear metal sight, a thumb rest, a flat slide stop and an adjustable, green anodized magazine release button.



STANDARD



| MODEL                       | CALIBER | MAGAZINE CAPACITY | WEIGHT with empty magazine (g) | DIMENSIONS L x W x H (mm) | BARREL LENGTH (mm) | SIGHTS   | THREAD | TRIGGER PULL (N) | TRIGGER TRAVEL (mm) | TRIGGER RESET (mm) | FRAME | GRIPS     | SAFETY FEATURES                           |
|-----------------------------|---------|-------------------|--------------------------------|---------------------------|--------------------|--|--------|------------------|---------------------|--------------------|-------|-----------|---|
| <b>CZ TS 2 DEEP BRONZE</b>  | 9 x 19  | 20                | 1350                           | 225 x 42 x 149            | 130                | Fiber optic front sight, Height adjustable visor – | –      | SA: 8            | 3–4                 | 3–4                | Steel | Duralumin | Manual safety, Safety notch on the hammer |
| <b>CZ TS 2 RACING GREEN</b> | 9 x 19  | 20                | 1350                           | 225 x 42 x 149            | 130                | Fiber optic front sight, Height adjustable visor – | –      | SA: 8            | 3–4                 | 3–4                | Steel | Duralumin | Manual safety, Safety notch on the hammer |



## RELIABLE STRIKER-FIRED PISTOL SERIES WITH POLYMER FRAME

The industry-leading CZ P-10 series is offered in a comprehensive array of sizes, from subcompact (CZ P-10 S), compact (CZ P-10 C) and full-size (CZ P-10 F). Most models are also available with a design that allows for the easy installation of a suppressor and/or red dot sight.

All CZ P-10 series pistols feature maximum reliability, high accuracy, a long service life and shooting comfort. The sophisticated grip and checkering were created in accordance with the innovative DiFEND ergonomic methodology, which significantly contributes to extreme user-friendliness. The very first model released in this series, the CZ P-10 C compact, was named "2017 Gun of the Year" by the prestigious American magazine "Guns & Ammo".

# CZ P-10 SERIES

MAIN FEATURES OF THE  
**CZ P-10** SERIES



Extremely durable and weather resistant finish on slide and barrel



Front and rear cocking serrations for comfortable and safe handling



Swappable magazine release is right- and left-handed friendly



Lightweight and durable fiberglass-reinforced polymer frame is mechanically strong and thermally stable



Three easily interchangeable backstrap sizes (S, M, L) to modify grip and finger reach



Flat ambidextrous slide stop



Ergonomic grip with prominent checkering for superb shooting comfort, stability and safety



# CZ P-10 C OR PORTED

The CZ P-10 C OR PORTED is purpose-built to reduce recoil and improve shooting speed and control. An integrated compensator, combined with a cold hammer forged barrel that is 10% heavier than the standard CZ P-10 C, significantly tames muzzle rise and allows for faster, more accurate follow-up shots. This performance-focused setup makes the pistol exceptionally well suited for dynamic shooting scenarios.



Further enhancing its versatility, the CZ P-10 C OR PORTED features CZ P-09 NOCTURNE-style sights for quick target acquisition, an Optics-Ready interface for mounting a wide range of red dot sights, and extended cocking serrations for confident slide manipulation under all conditions. Together with the proven ergonomics and smooth trigger characteristics of the CZ P-10 series, it represents the most refined and performance-oriented CZ P-10 model in our portfolio.



| MODEL               | CALIBER | MAGAZINE CAPACITY | WEIGHT with empty magazine (g) | DIMENSIONS L x W x H (mm) | BARREL LENGTH (mm) | SIGHTS      | THREAD | TRIGGER PULL (N) | TRIGGER TRAVEL (mm) | TRIGGER RESET (mm) | FRAME                         | SAFETY FEATURES                                      |
|---------------------|---------|-------------------|--------------------------------|---------------------------|--------------------|-------------|--------|------------------|---------------------|--------------------|-------------------------------|--|
| CZ P-10 C OR PORTED | 9 x 19  | 15                | 760                            | 186 x 32 x 135            | 101                | Luminescent | No     | 25±4             | 9±1                 | 4                  | Fiberglass-reinforced polymer | Trigger safety, Trigger bar safety, Firing pin block |

# CZ P-10 F OR 45 AUTO

The CZ P-10 F in the iconic .45 ACP, delivering the classic, hard-hitting power you know and trust, is now available in the OR version. Designed for those who demand performance and precision, this full-size pistol features a red dot cut, allowing you to mount your favorite optic. Combining the legendary stopping power of .45 ACP with the modern advantage of a red dot sight, the P-10 F sets a new standard for accuracy, speed, and versatility. This is the .45 ACP you love, evolved for today's shooter.



Red dot sight is not included in the package.



Red dot sight is not included in the package.

## CZ P-10 F OR SR

The CZ P-10 F OR SR (Optics-Ready-Suppressor-Ready) features both an innovative CZ interface for mounting a red dot sight and extended barrel with 1/2" x 28 UNEF – 3A threads for mounting a suppressor. This model allows for more flexible use and offers a higher level of shooting comfort.



Red dot sight is not included in the package.

## CZ P-10 F OR

The CZ P-10 F OR (Optics-Ready) has been designed for the increasingly popular option of mounting a red dot sight quickly and easily. The innovative CZ mounting interface is known for its robustness, strength, durability, low installation height and easy aiming with the red dot sight at short to long distances. This model also comes with high (cowitness) iron sights in case optics are damaged or fail.

| MODEL                    | CALIBER  | MAGAZINE CAPACITY | WEIGHT with empty magazine (g) | DIMENSIONS L x W x H (mm) | BARREL LENGTH (mm) | SIGHTS      | THREAD              | TRIGGER PULL (N) | TRIGGER TRAVEL (mm) | TRIGGER RESET (mm) | FRAME                         | GRIPS | SAFETY FEATURES                                      |
|--------------------------|----------|-------------------|--------------------------------|---------------------------|--------------------|-------------|---------------------|------------------|---------------------|--------------------|-------------------------------|-------|--|
| <b>CZ P-10 F 45 Auto</b> | .45 Auto | 13                | 930                            | 207 x 34 x 153            | 114                | Luminescent | No                  | 25±4             | 9±1                 | 4                  | Fiberglass-reinforced polymer | –     | Trigger safety, Trigger bar safety, Firing pin block |
| <b>CZ P-10 F OR</b>      | 9 x 19   | 19                | 810                            | 203 x 32 x 153            | 114                | Luminescent | No                  | 25±4             | 9±1                 | 4                  | Fiberglass-reinforced polymer | –     | Trigger safety, Trigger bar safety, Firing pin block |
| <b>CZ P-10 F OR SR</b>   | 9 x 19   | 19                | 830                            | 225 x 32 x 153            | 134                | Luminescent | 1/2" x 28 UNEF – 3A | 25±4             | 9±1                 | 4                  | Fiberglass-reinforced polymer | –     | Trigger safety, Trigger bar safety, Firing pin block |

# CZ P-10 C OR FDE

The CZ P-10 C OR is now available in the highly sought-after FDE (Flat Dark Earth) color, combining tactical style with top-tier performance. This optics-ready pistol maintains the superior ergonomics, reliability, and precision the P-10 series is known for, now enhanced with a rugged and versatile finish perfect for any environment. Elevate your shooting experience with a firearm that's as bold in appearance as it is in capability!



Red dot sight is not included in the package.



Red dot sight is not included in the package.



## CZ P-10 C

Due to its compact dimensions, innovative design and large firing capacity, this highly advanced, striker-fired pistol is suitable for concealed carry.



Red dot sight is not included in the package.

## CZ P-10 C OR SR

The CZ P-10 C OR SR (Optics-Ready-Suppressor-Ready) features both a slide with an innovative interface for mounting a red dot sight and an extended barrel with 1/2" x 28 UNEF – 3A threads for mounting a suppressor. This model allows for quicker target acquisition and provides a higher level of shooting comfort.

| MODEL                   | CALIBER          | MAGAZINE CAPACITY | WEIGHT with empty magazine (g) | DIMENSIONS L x W x H (mm) | BARREL LENGTH (mm) | SIGHTS      | THREAD              | TRIGGER PULL (N) | TRIGGER TRAVEL (mm) | TRIGGER RESET (mm) | FRAME                         | GRIPS | SAFETY FEATURES                                      |
|-------------------------|------------------|-------------------|--------------------------------|---------------------------|--------------------|-------------|---------------------|------------------|---------------------|--------------------|-------------------------------|-------|--|
| <b>CZ P-10 C OR FDE</b> | 9 x 19           | 15                | 740                            | 187 x 32 x 135            | 102                | Luminescent | No                  | 25±4             | 9±1                 | 4                  | Fiberglass-reinforced polymer | -     | Trigger safety, Trigger bar safety, Firing pin block |
| <b>CZ P-10 C OR</b>     | 9 x 19, 380 Auto | 15                | 740                            | 187 x 32 x 135            | 102                | Luminescent | No                  | 25±4             | 9±1                 | 4                  | Fiberglass-reinforced polymer | -     | Trigger safety, Trigger bar safety, Firing pin block |
| <b>CZ P-10 C</b>        | 9 x 19, 380 Auto | 15                | 740                            | 187 x 32 x 132            | 102                | Luminescent | No                  | 25±4             | 9±1                 | 4                  | Fiberglass-reinforced polymer | -     | Trigger safety, Trigger bar safety, Firing pin block |
| <b>CZ P-10 C OR SR</b>  | 9 x 19           | 15                | 760                            | 209 x 32 x 135            | 122                | Luminescent | 1/2" x 28 UNEF – 3A | 25±4             | 9±1                 | 4                  | Fiberglass-reinforced polymer | -     | Trigger safety, Trigger bar safety, Firing pin block |



Red dot sight is not included in the package.



# CZ P-10 S OR

A subcompact pistol with a slide engineered for effortless mounting of appropriately sized red dot sights. Raised co-witness iron sights ensure reliable accuracy even if the optic is damaged or unavailable.

The CZ P-10 S OR is equipped with proven safety features, including a trigger safety, trigger bar safety, and a firing pin block. Combined with the compact dimensions of the pistol, these features ensure a high level of safety and confidence during everyday carry without compromising shooting performance.

| MODEL        | CALIBER | MAGAZINE CAPACITY | WEIGHT with empty magazine (g) | DIMENSIONS L x W x H (mm) | BARREL LENGTH (mm) | SIGHTS      | THREAD | TRIGGER PULL (N) | TRIGGER TRAVEL (mm) | TRIGGER RESET (mm) | FRAME                         | GRIPS | SAFETY FEATURES                                      |
|--------------|---------|-------------------|--------------------------------|---------------------------|--------------------|-------------|--------|------------------|---------------------|--------------------|-------------------------------|-------|--|
| CZ P-10 S OR | 9 x 19  | 12                | 710                            | 170 x 32 x 119            | 89,5               | Luminescent | No     | 25±4             | 9±1                 | 4                  | Fiberglass-reinforced polymer | –     | Trigger safety, Trigger bar safety, Firing pin block |



3700-7700  
TRIJICON RMR RM06-C-700688  
RED DOT SIGHT

1091-1410-01  
CZ P-10 OPTICS-READY PLATE  
RMR/SRO

B0103-0002  
STREAMLIGHT TLR-8 A LIGHT  
(RED LASER)  
B0103-0001  
STREAMLIGHT TLR-7 A LIGHT SML69424  
B0103-0003  
STREAMLIGHT TLR-8 G LIGHT (GR. LASER)

1091-1380-02  
CZ P-10 AL ELOX TRIGGER,  
RED

1091-1377-02  
CZ P-10 MAGAZINE  
RELEASE SET, RED

**RECOMMENDED**  
**ACCESSORIES**



B0101-0001  
AIMPOINT ACRO C-2 RED DOT SIGHT

1091-1410-08  
CZ P-10 ACRO  
OPTICS-READY PLATE

B0101-0006  
HOLOSUN HS407K X2  
RED DOT SIGHT

B0107-0002  
SILENCER PMM-6 9 MM 1/2"-28  
1081-0170  
GIS PSR 9/5 COMPACT SUPPRESSOR



## THIRD GENERATION OF THE SUCCESSFUL POLYMER PISTOL SERIES WITH THE OMEGA SA/DA TRIGGER MECHANISM

The new CZ P-09 NOCTURNE F (Full-size) and C (Compact) models not only retain all key features of the previous CZ P-07/09 generation, but in some ways takes them even further. It comes with improved ergonomics, the ability to mount a red dot sight without a plate, and controls that further expand the features found in the CZ P-09 series.

# CZ P-09 NOCTURNE SERIES


MAIN FEATURES OF THE  
**CZ P-09 NOCTURNE**  
SERIES




New Optics-Ready interface compatible with Shield RMS and Holosun K footprints



Enhanced front cocking serrations



Extremely durable nitride finish on slide and barrel - BOBOX




Mechanically and thermally stable fiberglass-reinforced polymer frame



Interchangeable, ambidextrous safety levers, manual safety to decocker



Omega SA/DA trigger mechanism



Three sizes of interchangeable backstraps to modify grip

Innovation without compromise.

# CZ P-09 F NOCTURNE

The full-size version of the CZ P-09 NOCTURNE with OMEGA SA/DA trigger mechanism features advanced ergonomics and intuitive placement of controls for maximum comfort with intuitive operation. High accuracy is ensured by its full-size, cold hammer forged barrel and luminescent or tritium sights. New texturing on the grip and other strategic areas provide high traction where you need it most.



Red dot sight is not included in the package.



Red dot sight is not included in the package.

## CZ P-09 F NOCTURNE SR

The Suppressor-Ready (SR) version of the full-size comes with a 1/2" x 28 UNEF-3A threaded barrel for quick and easy mounting of a suppressor. High performance doesn't need to raise its voice.



| MODEL                        | CALIBER | MAGAZINE CAPACITY | WEIGHT with empty magazine (g) | DIMENSIONS L x W x H (mm) | BARREL LENGTH (mm) | SIGHTS               | THREAD            | TRIGGER PULL (N) | TRIGGER TRAVEL (mm) | TRIGGER RESET (mm) | FRAME                         | GRIPS | SAFETY FEATURES  |
|------------------------------|---------|-------------------|--------------------------------|---------------------------|--------------------|----------------------|-------------------|------------------|---------------------|--------------------|-------------------------------|-------|--|
| <b>CZ P-09 F NOCTURNE</b>    | 9 x 19  | 19                | 830                            | 208 x 37 x 150            | 115                | Luminescent, Tritium | No                | SA: 21 DA: 44±2  | SA: 10±1 DA: 13±2   | 7±1                | Fiberglass-reinforced polymer | -     | Manual safety / decocker, Safety notch on hammer, Firing pin block |
| <b>CZ P-09 F NOCTURNE SR</b> | 9 x 19  | 19                | 880                            | 230 x 37 x 150            | 135                | Luminescent, Tritium | 1/2" x 28 UNEF-3A | SA: 21 DA: 44±2  | SA: 10±1 DA: 13±2   | 7±1                | Fiberglass-reinforced polymer | -     | Manual safety / decocker, Safety notch on hammer, Firing pin block |

# CZ P-09 C NOCTURNE

The reduced, compact dimensions of the CZ P-09 NOCTURNE C make it the perfect choice for concealed carry. Although smaller than the full-size version, it retains the same cutting-edge features, intuitive operation and extreme shooting comfort.



Red dot sight is not included in the package.



Red dot sight is not included in the package.

## CZ P-09 C NOCTURNE SR

“Concealed carry with a whisper” is a fitting description for the CZ P-09 C NOCTURNE SR (Suppressor-Ready). Its reduced dimensions are complimented by a 1/2" x 28 UNEF-3A threaded barrel for fast and convenient mounting of a suppressor.



| MODEL                        | CALIBER | MAGAZINE CAPACITY | WEIGHT with empty magazine (g) | DIMENSIONS L x W x H (mm) | BARREL LENGTH (mm) | SIGHTS               | THREAD            | TRIGGER PULL (N) | TRIGGER TRAVEL (mm) | TRIGGER RESET (mm) | FRAME                         | GRIPS | SAFETY FEATURES  |
|------------------------------|---------|-------------------|--------------------------------|---------------------------|--------------------|----------------------|-------------------|------------------|---------------------|--------------------|-------------------------------|-------|--|
| <b>CZ P-09 C NOCTURNE</b>    | 9 x 19  | 15                | 740                            | 185 x 37 x 137            | 95                 | Luminescent, Tritium | No                | SA: 21 DA: 44±2  | SA: 10±1 DA: 13±2   | 7±1                | Fiberglass-reinforced polymer | -     | Manual safety / decocker, Safety notch on hammer, Firing pin block |
| <b>CZ P-09 C NOCTURNE SR</b> | 9 x 19  | 15                | 760                            | 207 x 37 x 137            | 115                | Luminescent, Tritium | 1/2" x 28 UNEF-3A | SA: 21 DA: 44±2  | SA: 10±1 DA: 13±2   | 7±1                | Fiberglass-reinforced polymer | -     | Manual safety / decocker, Safety notch on hammer, Firing pin block |



# KADET ADAPTERS

Complete kits for the easy and quick conversion of selected CZ large caliber pistols to fire 22 LR cartridges, ensuring maximum comfort and affording shooting. Assembly does not require any modifications. The basic kit always includes a 10-round magazine and a set of recoil springs to ensure reliable operation with all types of ammunition.

| MODEL                            | CALIBER | MAGAZINE CAPACITY | WEIGHT with empty magazine (g) | BARREL LENGTH (mm) | SIGHTS               |
|----------------------------------|---------|-------------------|--------------------------------|--------------------|----------------------|
| <b>ADAPTER CZ SHADOW 2 KADET</b> | 22 LR   | 10                | 300                            | 125                | Checkered rear sight |
| <b>ADAPTER CZ P-09 KADET</b>     | 22 LR   | 10                | 300                            | 120                | Checkered rear sight |
| <b>ADAPTER CZ P-07 KADET</b>     | 22 LR   | 10                | 280                            | 103                | Checkered rear sight |

ADAPTER

## CZ SHADOW 2 KADET



ADAPTER

## CZ P-09 KADET



ADAPTER

## CZ P-07 KADET



| MODEL                            | CALIBER          | MAGAZINE CAPACITY | WEIGHT with empty magazine (g) | DIMENSIONS L x W x H (mm) | BARREL LENGTH (mm) | SIGHTS   | THREAD              | TRIGGER PULL (N) | TRIGGER TRAVEL (mm) | TRIGGER RESET (mm) | FRAME                         | GRIPS     | SAFETY FEATURES  |
|----------------------------------|------------------|-------------------|--------------------------------|---------------------------|--------------------|--|---------------------|------------------|---------------------|--------------------|-------------------------------|-----------|--|
| <b>CZ 75 LEGEND</b>              | 9 x 19           | 12                | 710                            | 170 x 32 x 119            | 89,5               | Plain black front sight, Fully adjustable rear sight | No                  | 25±4             | 9±1                 | 4                  | Fiberglass-reinforced polymer | –         | Trigger safety, Trigger bar safety, Firing pin block               |
| <b>CZ SHADOW 2 CARRY</b>         | 9 x 19           | 15                | 870                            | 191 x 38 x 138            | 102                | Luminescent  | –                   | SA: 21 DA: 53    | SA: 9±1 DA: 15 ±1   | 6–7                | Forged aluminum alloy         | Duralumin | Decocker, Safety notch (on hammer), Firing pin block               |
| <b>CZ SHADOW 2 COMPACT</b>       | 9 x 19           | 15                | 900                            | 191 x 35 x 138            | 102                | Fiber optic front sight, Checkered rear sight        | –                   | SA: 15 DA: 46    | SA: 3–4 DA: 12      | 3–4                | Forged aluminum alloy         | Duralumin | Manual safety, Safety notch on the hammer                          |
| <b>CZ SHADOW 2 TARGET 5"</b>     | 9 x 19           | 17                | 1245                           | 217 x 45 x 143            | 122                | Plain black front sight, Fully adjustable rear sight | –                   | SA: 5-20         | 3–4                 | 3–4                | Steel                         | G 10      | Manual safety, Safety notch on the hammer                          |
| <b>CZ SHADOW 2 TARGET 6"</b>     | 9 x 19           | 17                | 1285                           | 248 x 45 x 143            | 153                | Plain black front sight, Fully adjustable rear sight | –                   | SA: 5-20         | 3–4                 | 3–4                | Steel                         | G 10      | Manual safety, Safety notch on the hammer                          |
| <b>CZ SHADOW 2 ORANGE OR</b>     | 9 x 19           | 19                | 1330                           | 217 x 42 x 157            | 120                | Fiber optic front sight, Checkered rear sight        | –                   | SA: 15 DA: 46    | SA: 3–4 DA: 12      | 3–4                | Steel                         | Duralumin | Manual safety, Safety notch on the hammer                          |
| <b>CZ SHADOW 2</b>               | 9 x 19, 380 Auto | 19 / 18           | 1330                           | 217 x 34 x 157            | 120                | Fiber optic front sight, Checkered rear sight        | –                   | SA: 15 DA: 46    | SA: 3–4 DA: 12      | 3–4                | Steel                         | Duralumin | Manual safety, Safety notch on the hammer                          |
| <b>CZ SHADOW 2 OR</b>            | 9 x 19           | 19                | 1330                           | 217 x 34 x 157            | 120                | Fiber optic front sight, Checkered rear sight        | –                   | SA: 15 DA: 46    | SA: 3–4 DA: 12      | 3–4                | Steel                         | Duralumin | Manual safety, Safety notch on the hammer                          |
| <b>CZ TS 2 ORANGE</b>            | 9 x 19           | 20                | 1470                           | 225 x 45 x 149            | 130                | Fiber optic front sight, Height adjustable visor     | –                   | SA: 8            | 3–4                 | 3–4                | Steel                         | Duralumin | Manual safety, Safety notch on the hammer                          |
| <b>CZ TS 2 ORANGE</b>            | 40 S&W           | 17                | 1460                           | 225 x 45 x 149            | 130                | Fiber optic front sight, Height adjustable visor     | –                   | SA: 8            | 3–4                 | 3–4                | Steel                         | Duralumin | Manual safety, Safety notch on the hammer                          |
| <b>CZ TS 2 DEEP BRONZE</b>       | 9 x 19           | 20                | 1350                           | 225 x 42 x 149            | 130                | Fiber optic front sight, Height adjustable visor     | –                   | SA: 8            | 3–4                 | 3–4                | Steel                         | Duralumin | Manual safety, Safety notch on the hammer                          |
| <b>CZ TS 2 RACING GREEN</b>      | 9 x 19           | 20                | 1350                           | 225 x 42 x 149            | 130                | Fiber optic front sight, Height adjustable visor     | –                   | SA: 8            | 3–4                 | 3–4                | Steel                         | Duralumin | Manual safety, Safety notch on the hammer                          |
| <b>CZ P-10 F 45 Auto</b>         | 45 Auto          | 13                | 930                            | 207 x 34 x 153            | 114                | Luminescent  | No                  | 25±4             | 9±1                 | 4                  | Fiberglass-reinforced polymer | –         | Trigger safety, Trigger bar safety, Firing pin block               |
| <b>CZ P-10 F OR</b>              | 9 x 19           | 19                | 810                            | 203 x 32 x 153            | 114                | Luminescent  | No                  | 25±4             | 9±1                 | 4                  | Fiberglass-reinforced polymer | –         | Trigger safety, Trigger bar safety, Firing pin block               |
| <b>CZ P-10 F OR SR</b>           | 9 x 19           | 19                | 830                            | 225 x 32 x 153            | 134                | Luminescent  | 1/2" x 28 UNEF – 3A | 25±4             | 9±1                 | 4                  | Fiberglass-reinforced polymer | –         | Trigger safety, Trigger bar safety, Firing pin block               |
| <b>CZ P-10 C OR PORTED</b>       | 9 x 19           | 15                | 760                            | 186 x 32 x 135            | 101                | Luminescent  | No                  | 25±4             | 9±1                 | 4                  | Fiberglass-reinforced polymer | –         | Trigger safety, Trigger bar safety, Firing pin block               |
| <b>CZ P-10 C OR FDE</b>          | 9 x 19           | 15                | 740                            | 187 x 32 x 135            | 102                | Luminescent  | No                  | 25±4             | 9±1                 | 4                  | Fiberglass-reinforced polymer | –         | Trigger safety, Trigger bar safety, Firing pin block               |
| <b>CZ P-10 C OR</b>              | 9 x 19, 380 Auto | 15                | 740                            | 187 x 32 x 135            | 102                | Luminescent  | No                  | 25±4             | 9±1                 | 4                  | Fiberglass-reinforced polymer | –         | Trigger safety, Trigger bar safety, Firing pin block               |
| <b>CZ P-10 C</b>                 | 9 x 19, 380 Auto | 15                | 740                            | 187 x 32 x 132            | 102                | Luminescent  | No                  | 25±4             | 9±1                 | 4                  | Fiberglass-reinforced polymer | –         | Trigger safety, Trigger bar safety, Firing pin block               |
| <b>CZ P-10 C OR SR</b>           | 9 x 19           | 15                | 760                            | 209 x 32 x 135            | 122                | Luminescent  | 1/2" x 28 UNEF – 3A | 25±4             | 9±1                 | 4                  | Fiberglass-reinforced polymer | –         | Trigger safety, Trigger bar safety, Firing pin block               |
| <b>CZ P-10 S OR</b>              | 9 x 19           | 12                | 710                            | 170 x 32 x 119            | 89,5               | Luminescent  | No                  | 25±4             | 9±1                 | 4                  | Fiberglass-reinforced polymer | –         | Trigger safety, Trigger bar safety, Firing pin block               |
| <b>CZ P-09 F NOCTURNE</b>        | 9 x 19           | 19                | 830                            | 208 x 37 x 150            | 115                | Luminescent, Tritium                                 | No                  | SA: 21 DA: 44±2  | SA: 10±1 DA: 13±2   | 7±1                | Fiberglass-reinforced polymer | –         | Manual safety / decocker, Safety notch on hammer, Firing pin block |
| <b>CZ P-09 F NOCTURNE SR</b>     | 9 x 19           | 19                | 880                            | 230 x 37 x 150            | 135                | Luminescent, Tritium                                 | 1/2" x 28 UNEF – 3A | SA: 21 DA: 44±2  | SA: 10±1 DA: 13±2   | 7±1                | Fiberglass-reinforced polymer | –         | Manual safety / decocker, Safety notch on hammer, Firing pin block |
| <b>CZ P-09 C NOCTURNE</b>        | 9 x 19           | 15                | 740                            | 185 x 37 x 137            | 95                 | Luminescent, Tritium                                 | No                  | SA: 21 DA: 44±2  | SA: 10±1 DA: 13±2   | 7±1                | Fiberglass-reinforced polymer | –         | Manual safety / decocker, Safety notch on hammer, Firing pin block |
| <b>CZ P-09 C NOCTURNE SR</b>     | 9 x 19           | 15                | 760                            | 207 x 37 x 137            | 115                | Luminescent, Tritium                                 | 1/2" x 28 UNEF – 3A | SA: 21 DA: 44±2  | SA: 10±1 DA: 13±2   | 7±1                | Fiberglass-reinforced polymer | –         | Manual safety / decocker, Safety notch on hammer, Firing pin block |
| <b>ADAPTERS</b>                  |                  |                   |                                |                           |                    |  |                     |                  |                     |                    |                               |           |  |
| <b>ADAPTER CZ SHADOW 2 KADET</b> | 22 LR            | 10                | 300                            |                           | 125                | Checkered rear sight                                 |                     |                  |                     |                    |                               |           |  |
| <b>ADAPTER CZ P-09 KADET</b>     | 22 LR            | 10                | 300                            |                           | 120                | Checkered rear sight                                 |                     |                  |                     |                    |                               |           |  |
| <b>ADAPTER CZ P-07 KADET</b>     | 22 LR            | 10                | 280                            |                           | 103                | Checkered rear sight                                 |                     |                  |                     |                    |                               |           |  |



# CENTERFIRE RIFLES

CZ rifles for hunting and sport are traditionally among the best long firearms available on the world market. As with all our products, the CZ brand is synonymous with ingenious design, reliability, accuracy and first-rate quality at an affordable price. The innovative, highly modular design of the CZ 600+ series comes with a number of patented features that improve all key characteristics – from reliability and durability to ergonomics and shooting comfort to safety and accuracy.

**THE CZ 600+ SERIES FEATURES A PATENT PROTECTED BOLT DESIGN THAT ENSURES 100% USER-CONTROLLED FEED IN ALL SHOOTING POSITIONS, AND EVEN UNDER THE MOST DEMANDING CONDITIONS**

Other benefits include a patented, ergonomically designed vertical safety with completely silent operation, an exceptional magazine that users can select to function as detachable or locked, an extremely durable finish, and easy disassembly that requires no manipulation of the trigger. Models for hunting, sport and hobby are available in a continuously updated range of popular calibers.

MAIN FEATURES OF THE  
**CZ 600+ SERIES**



**UNIQUE SAFETY**

A patented, easy-to-access vertical safety at the top of the grip is released by pressing down and allows for completely silent operation.

**PATENTED TRIGGER MECHANISM**

A newly developed, user adjustable single- or double-stage trigger mechanism with four levels of pull weight that can be adjusted without removing the receiver from the stock.

**CONTROLLED FEEDING WITH SHORT EJECTOR**

The CZ 600+ series combines the best qualities of controlled feed and push feed systems. This simple and reliable patented design delivers 100% user-controlled feed in all shooting positions, and even under the most demanding conditions.

**LOCKABLE MAGAZINE**

A detachable, double-stack magazine with a "push n' click" loading operation contributes to an exceptionally smooth and reliable feeding of rounds. The magazine is easily locked by sliding the magazine release up. When the magazine lock is activated, the firearm changes to a fixed magazine configuration.



**CHANGE OF CALIBERS**

Thanks to the modular design of the CZ 600+ series, any authorized CZ service center can convert your rifle to another caliber from the range for a given receiver size with guaranteed shot retention after the first cold shot.



**SAFE DISASSEMBLY**

A spring-loaded button on the right side of the receiver allows for easy removal of the bolt without manipulating the trigger.




**EXTREMELY DURABLE FINISH**

The surface of metal components in the CZ 600+ series comes with CZ's new BobOx chemical heat treatment, which gives it a hard, durable finish that resists corrosion.



**SUPERIOR QUALITY BARREL**

High-precision barrels with caliber-optimized lengths are cold hammer forged using CZ technology. The barrel features a threaded muzzle for mounting accessories.



**SHORT ROTATION OF BOLT HANDLE**

Due to the use of a locking system, the bolt handle rotates 60° for quick and comfortable reloading without the risk of hitting the riflescope.

**EXTREME ACCURACY**

The ALPHA, ERGO and LUX models are guaranteed to shoot sub-MOA at 100 m for 3 shot groups, and the RANGE model shoots sub-0.75 MOA for 5 shot groups. The compact TRAIL version is guaranteed to shoot 2 MOA. All models are tested using match-grade factory ammunition.



**STANDARDIZED MOUNTING INTERFACE**

CZ 600+ series receivers are equipped with an integrated Weaver rail (aluminum) or Remington 700 type mounting interface (steel).



**HIGHLY DURABLE RECEIVER**

All CZ 600+ series receivers are manufactured from durable aluminum or steel and come with a guaranteed service life of 20,000 shots.



NEW


# CZ 600+ AMERICAN

## Modern hunting rifle in classic American style.

The CZ 600+ AMERICAN is an American-style bolt-action centerfire rifle that is equipped with a beautifully crafted Turkish walnut stock with a fleur-de-lis pattern on the grip. Thanks to its straight comb design, the stock allows for comfortable shooting with a riflescope.

The steel receiver features a Remington 700-style attachment interface, ensuring compatibility with wide variety of scope rings. Available in a wide range of calibers, from 223 Rem. to 300 Win. Mag., it is ready to meet the needs of a wide range of hunters and sport shooters.

| MODEL                          | TWIST RATE / NUMBER OF GROOVES | MAGAZINE CAPACITY | WEIGHT (kg) | LENGTH (mm) | BARREL LENGTH ("/ mm) | BARREL PROFILE | SIGHTS | THREAD  | STOCK  | FINISH  | CHEEKPIECE | LOP (mm) | TRIGGER                  | TRIGGER PULL WEIGHT (N) | RECEIVER SIZE |
|--------------------------------|--------------------------------|-------------------|-------------|-------------|-----------------------|----------------|--------|---------|--------|---------|------------|----------|--------------------------|-------------------------|---------------|
| CZ 600+ AMERICAN 223 Rem.      | 1:9 / 6                        | 5                 | 3,2         | 1102        | 24 / 610              | Light          | No     | M15 x 1 | Walnut | Varnish | No         | 355      | Single-Stage, Adjustable | 6.5/ 9/ 11.5/ 14        | I (mini)      |
| CZ 600+ AMERICAN 7,62 x 39     | 1:9.5 / 4                      | 5                 | 2,8         | 949         | 18 / 457              | Light          | No     | M15 x 1 | Walnut | Varnish | No         | 355      | Single-Stage, Adjustable | 6.5/ 9/ 11.5/ 14        | I (mini)      |
| CZ 600+ AMERICAN 243 Win.      | 1:10 / 6                       | 5                 | 3,5         | 1025        | 20 / 508              | Light          | No     | M15 x 1 | Walnut | Varnish | No         | 355      | Single-Stage, Adjustable | 6.5/ 9/ 11.5/ 14        | II (medium)   |
| CZ 600+ AMERICAN 270 Win.      | 1:10 / 4                       | 5                 | 3,7         | 1140        | 24 / 610              | Light          | No     | M15 x 1 | Walnut | Varnish | No         | 355      | Single-Stage, Adjustable | 6.5/ 9/ 11.5/ 14        | III (long)    |
| CZ 600+ AMERICAN 30-06 Spring. | 1:10 / 4                       | 5                 | 3,7         | 1140        | 24 / 610              | Light          | No     | M15 x 1 | Walnut | Varnish | No         | 355      | Single-Stage, Adjustable | 6.5/ 9/ 11.5/ 14        | III (long)    |
| CZ 600+ AMERICAN 300 Win. Mag. | 1:10 / 4                       | 3                 | 3,7         | 1140        | 24 / 610              | Light          | No     | M15 x 1 | Walnut | Varnish | No         | 355      | Single-Stage, Adjustable | 6.5/ 9/ 11.5/ 14        | III (long)    |
| CZ 600+ AMERICAN 308 Win.      | 1:10 / 4                       | 5                 | 3,5         | 1025        | 20 / 508              | Light          | No     | M15 x 1 | Walnut | Varnish | No         | 355      | Single-Stage, Adjustable | 6.5/ 9/ 11.5/ 14        | II (medium)   |
| CZ 600+ AMERICAN 6,5 Creedmoor | 1:8 / 6                        | 5                 | 3,7         | 1127        | 24 / 610              | Light          | No     | M15 x 1 | Walnut | Varnish | No         | 355      | Single-Stage, Adjustable | 6.5/ 9/ 11.5/ 14        | II (medium)   |



*Matt Emmons*

CHOICE OF MATTHEW EMMONS (USA)

PROFESSIONAL SHOOTING COACH AND AVID HUNTER  
 GOLD MEDAL ATHENS 2004  
 SILVER MEDAL BEIJING 2008  
 BRONZE MEDAL LONDON 2012

**NEW**

# CZ 600+ LUX



**A modern centerfire rifle with a traditional european design.**

The newest, centerfire hunting rifle from CZ with a traditional, European-style wood stock is the CZ 600+ LUX. Its barrel features mechanical, fiber optic front and rear sights. The steel receiver comes with a Remington 700-type interface for mounting optics.

| MODEL                            | TWIST RATE / NUMBER OF GROOVES | MAGAZINE CAPACITY | WEIGHT (kg) | LENGTH (mm) | BARREL LENGTH ("/ mm) | BARREL PROFILE | SIGHTS | THREAD  | STOCK  | FINISH | CHEEKPIECE | LOP (mm) | TRIGGER                  | TRIGGER PULL WEIGHT (N) | RECEIVER SIZE |
|----------------------------------|--------------------------------|-------------------|-------------|-------------|-----------------------|----------------|--------|---------|--------|--------|------------|----------|--------------------------|-------------------------|---------------|
| <b>CZ 600+ LUX</b> 223 Rem.      | 1:9/6                          | 5                 | 3,17        | 997         | 20/508                | Light          | Yes    | M15 x 1 | Walnut | Oil    | Yes        | 370      | Single-Stage, Adjustable | 6.5/9/11.5/14           | I (mini)      |
| <b>CZ 600+ LUX</b> 223 Rem. 24"  | 1:9/6                          | 5                 | 3,40        | 1099        | 24/610                | Light          | Yes    | M15 x 1 | Walnut | Oil    | Yes        | 370      | Single-Stage, Adjustable | 6.5/9/11.5/14           | I (mini)      |
| <b>CZ 600+ LUX</b> 7,62 x 39     | 1:9,5/4                        | 5                 | 3,0         | 946         | 18/457                | Light          | Yes    | M15 x 1 | Walnut | Oil    | Yes        | 370      | Single-Stage, Adjustable | 6.5/9/11.5/14           | I (mini)      |
| <b>CZ 600+ LUX</b> 308 Win.      | 1:10/4                         | 5                 | 3,79        | 1040        | 20/508                | Light          | Yes    | M15 x 1 | Walnut | Oil    | Yes        | 370      | Single-Stage, Adjustable | 6.5/9/11.5/14           | II (medium)   |
| <b>CZ 600+ LUX</b> 30-06 Spring. | 1:10/4                         | 5                 | 3,7         | 1053        | 20/508                | Light          | Yes    | M15 x 1 | Walnut | Oil    | Yes        | 370      | Single-Stage, Adjustable | 6.5/9/11.5/14           | III (long)    |
| <b>CZ 600+ LUX</b> 8 x 57 IS     | 1:9,5/4                        | 5                 | 3,62        | 1053        | 20/508                | Light          | Yes    | M15 x 1 | Walnut | Oil    | Yes        | 370      | Single-Stage, Adjustable | 6.5/9/11.5/14           | III (long)    |
| <b>CZ 600+ LUX</b> 300 Win. Mag. | 1:10/4                         | 3                 | 3,87        | 1155        | 24/610                | Light          | Yes    | M15 x 1 | Walnut | Oil    | Yes        | 370      | Single-Stage, Adjustable | 6.5/9/11.5/14           | III (long)    |



**NEW**


# CZ 600+ ALPHA



**Durable rifle  
for everyday use.**

The CZ 600+ ALPHA comes with a fiber-reinforced polymer stock and semi-heavy barrel. Optics can be mounted on the Weaver rail integrated on the durable aluminum receiver. Easy maintenance makes this model particularly well suited for those who use their rifle on a daily basis and deeply value durability and reliability, regardless of inclement weather.

| MODEL                              | TWIST RATE / NUMBER OF GROOVES | MAGAZINE CAPACITY | WEIGHT (kg) | LENGTH (mm) | BARREL LENGTH ("/ mm) | BARREL PROFILE | SIGHTS | THREAD  | STOCK                    | FINISH     | CHEEKPIECE | LOP (mm) | TRIGGER                  | TRIGGER PULL WEIGHT (N) | RECEIVER SIZE |
|------------------------------------|--------------------------------|-------------------|-------------|-------------|-----------------------|----------------|--------|---------|--------------------------|------------|------------|----------|--------------------------|-------------------------|---------------|
| <b>CZ 600+ ALPHA</b> 223 Rem.      | 1:7 / 6                        | 5                 | 2,99        | 1096        | 24 / 610              | Semi-Heavy     | No     | M15 x 1 | Fiber-reinforced polymer | Soft-touch | No         | 355      | Single-Stage, Adjustable | 6.5 / 9 / 11.5 / 14     | I (mini)      |
| <b>CZ 600+ ALPHA</b> 7,62 x 39     | 1:9,5 / 4                      | 5                 | 2,53        | 943         | 18 / 457              | Semi-Heavy     | No     | M15 x 1 | Fiber-reinforced polymer | Soft-touch | No         | 355      | Single-Stage, Adjustable | 6.5 / 9 / 11.5 / 14     | I (mini)      |
| <b>CZ 600+ ALPHA</b> 243 Win.      | 1:10 / 6                       | 5                 | 3,4         | 1020        | 20 / 508              | Semi-Heavy     | No     | M15 x 1 | Fiber-reinforced polymer | Soft-touch | No         | 355      | Single-Stage, Adjustable | 6.5 / 9 / 11.5 / 14     | II (medium)   |
| <b>CZ 600+ ALPHA</b> 308 Win.      | 1:10 / 4                       | 5                 | 3,22        | 1020        | 20 / 508              | Semi-Heavy     | No     | M15 x 1 | Fiber-reinforced polymer | Soft-touch | No         | 355      | Single-Stage, Adjustable | 6.5 / 9 / 11.5 / 14     | II (medium)   |
| <b>CZ 600+ ALPHA</b> 6,5 Creedmoor | 1:8 / 6                        | 5                 | 3,45        | 1071        | 22 / 559              | Semi-Heavy     | No     | M15 x 1 | Fiber-reinforced polymer | Soft-touch | No         | 355      | Single-Stage, Adjustable | 6.5 / 9 / 11.5 / 14     | II (medium)   |
| <b>CZ 600+ ALPHA</b> 270 Win.      | 1:10 / 4                       | 5                 | 3,5         | 1033        | 20 / 508              | Semi-Heavy     | No     | M15 x 1 | Fiber-reinforced polymer | Soft-touch | No         | 355      | Single-Stage, Adjustable | 6.5 / 9 / 11.5 / 14     | III (long)    |
| <b>CZ 600+ ALPHA</b> 30-06 Spring. | 1:10 / 4                       | 5                 | 3,3         | 1033        | 20 / 508              | Semi-Heavy     | No     | M15 x 1 | Fiber-reinforced polymer | Soft-touch | No         | 355      | Single-Stage, Adjustable | 6.5 / 9 / 11.5 / 14     | III (long)    |
| <b>CZ 600+ ALPHA</b> 8 x 57 IS     | 1:9,5 / 4                      | 5                 | 3,29        | 1033        | 20 / 508              | Semi-Heavy     | No     | M15 x 1 | Fiber-reinforced polymer | Soft-touch | No         | 355      | Single-Stage, Adjustable | 6.5 / 9 / 11.5 / 14     | III (long)    |
| <b>CZ 600+ ALPHA</b> 300 Win. Mag. | 1:10 / 4                       | 3                 | 3,52        | 1135        | 24 / 610              | Semi-Heavy     | No     | M15 x 1 | Fiber-reinforced polymer | Soft-touch | No         | 355      | Single-Stage, Adjustable | 6.5 / 9 / 11.5 / 14     | III (long)    |



**NEW**

# CZ 600+ ERGO

| MODEL                             | TWIST RATE / NUMBER OF GROOVES | MAGAZINE CAPACITY | WEIGHT (kg) | LENGTH (mm) | BARREL LENGTH (" / mm) | BARREL PROFILE | SIGHTS | THREAD  | STOCK                    | FINISH     | CHEEKPIECE | LOP (mm) | TRIGGER                  | TRIGGER PULL WEIGHT (N) | RECEIVER SIZE |
|-----------------------------------|--------------------------------|-------------------|-------------|-------------|------------------------|----------------|--------|---------|--------------------------|------------|------------|----------|--------------------------|-------------------------|---------------|
| <b>CZ 600+ ERGO</b> 223 Rem.      | 1:9 / 6                        | 5                 | 2,59        | 1013        | 20 / 508               | Light          | No     | M15 x 1 | Fiber-reinforced polymer | Soft-touch | No         | 370      | Single-Stage, Adjustable | 6.5/ 9/ 11.5/ 14        | I (mini)      |
| <b>CZ 600+ ERGO</b> 7,62 x 39     | 1:9,5 / 4                      | 5                 | 2,4         | 962         | 18 / 457               | Light          | No     | M15 x 1 | Fiber-reinforced polymer | Soft-touch | No         | 370      | Single-Stage, Adjustable | 6.5/ 9/ 11.5/ 14        | I (mini)      |
| <b>CZ 600+ ERGO</b> 308 Win.      | 1:10 / 4                       | 5                 | 2,87        | 1038        | 20 / 508               | Light          | No     | M15 x 1 | Fiber-reinforced polymer | Soft-touch | No         | 370      | Single-Stage, Adjustable | 6.5/ 9/ 11.5/ 14        | II (medium)   |
| <b>CZ 600+ ERGO</b> 6,5 Creedmoor | 1:8 / 4                        | 5                 | 3,01        | 1089        | 22 / 559               | Light          | No     | M15 x 1 | Fiber-reinforced polymer | Soft-touch | No         | 370      | Single-Stage, Adjustable | 6.5/ 9/ 11.5/ 14        | II (medium)   |
| <b>CZ 600+ ERGO</b> 30-06 Spring. | 1:10 / 4                       | 5                 | 2,91        | 1052        | 20 / 508               | Light          | No     | M15 x 1 | Fiber-reinforced polymer | Soft-touch | No         | 370      | Single-Stage, Adjustable | 6.5/ 9/ 11.5/ 14        | III (long)    |
| <b>CZ 600+ ERGO</b> 8 x 57 IS     | 1:9,5 / 4                      | 5                 | 2,91        | 1052        | 20 / 508               | Light          | No     | M15 x 1 | Fiber-reinforced polymer | Soft-touch | No         | 370      | Single-Stage, Adjustable | 6.5/ 9/ 11.5/ 14        | III (long)    |
| <b>CZ 600+ ERGO</b> 300 Win. Mag. | 1:10 / 4                       | 3                 | 3,08        | 1154        | 24 / 610               | Light          | No     | M15 x 1 | Fiber-reinforced polymer | Soft-touch | No         | 370      | Single-Stage, Adjustable | 6.5/ 9/ 11.5/ 14        | III (long)    |

## Centerfire rifle with ergonomic thumbhole stock.

A model refined for the back-country, the CZ 600+ ERGO comes standard with a light profile barrel and an ergonomic, CZ-designed fiber-reinforced polymer stock with a distinctive thumbhole style pistol grip that delivers both comfort and control. All gripping surfaces feature padded inlays. The CZ 600+ ERGO has a guaranteed, factory-tested sub-MOA at 100 meters (three-shot groups with match-grade factory ammunition).



**NEW**

# CZ 600+ ERGO DRIVEN HUNT

## Light and fast rifle with extended capacity.

The CZ 600+ ERGO DRIVEN HUNT is designed for fast-paced driven hunts at shorter distances, where speed, reliability, and visibility are essential. Its ergonomically shaped polymer stock with distinctive orange inlays enhances handling and visibility for safer group hunting, while a lightweight fluted bolt with a bent handle and honey dipper bolt knob ensures fast, intuitive operation. A 10-round magazine provides extended capacity, and the cold hammer forged barrel with a radial compensator reduces recoil and muzzle rise, enabling quicker follow-up shots and delivering a responsive, accurate rifle optimized for dynamic driven hunting.



| MODEL                             | TWIST RATE / NUMBER OF GROOVES | MAGAZINE CAPACITY | WEIGHT (kg) | LENGTH (mm) | BARREL LENGTH (" / mm) | BARREL PROFILE | SIGHTS | THREAD  | STOCK   | FINISH     | CHEEKPIECE | LOP (mm) | TRIGGER                  | TRIGGER PULL WEIGHT (N) | RECEIVER SIZE |
|-----------------------------------|--------------------------------|-------------------|-------------|-------------|------------------------|----------------|--------|---------|---------|------------|------------|----------|--------------------------|-------------------------|---------------|
| CZ 600+ ERGO DRIVEN HUNT 308 Win. | 1:10 / 4                       | 10                | 2,87        | 1038        | 20 / 508               | Light          | No     | M15 x 1 | Polymer | Soft-touch | No         | 370      | Single-Stage, Adjustable | 6.5/ 9/ 11.5/ 14        | II (medium)   |

**NEW**



# CZ 600+ RANGE

## Extremely accurate centerfire rifle for sport shooting and hunting.

The CZ 600+ RANGE is a versatile target and hunting rifle for highly precise shooting at medium to long distances. It comes with a guaranteed, factory-tested accuracy of sub-0.75 MOA at 100 meters (five-shot groups when using match-grade factory ammunition). The stock is optimized for accuracy and features a tool-free, height adjustable comb. This model comes with a nitrided steel receiver with a mounting interface for a Remington 700 type riflescope.

| MODEL                              | TWIST RATE / NUMBER OF GROOVES | MAGAZINE CAPACITY | WEIGHT (kg) | LENGTH (mm) | BARREL LENGTH ("/ mm) | BARREL PROFILE | SIGHTS | THREAD  | STOCK          | FINISH  | CHEEKPIECE | LOP (mm) | TRIGGER                  | TRIGGER PULL WEIGHT (N) | RECEIVER SIZE |
|------------------------------------|--------------------------------|-------------------|-------------|-------------|-----------------------|----------------|--------|---------|----------------|---------|------------|----------|--------------------------|-------------------------|---------------|
| <b>CZ 600+ RANGE</b> 308 Win.      | 1:10 / 4                       | 5                 | 4,61        | 1140        | 24 / 610              | Heavy          | No     | M18 x 1 | Laminated Wood | Varnish | Adjustable | 370      | Single-Stage, Adjustable | 6.5/ 9/ 11.5/ 14        | II (medium)   |
| <b>CZ 600+ RANGE</b> Creedmoor     | 1: 7 / 6                       | 5                 | 4,70        | 1140        | 24 / 610              | Heavy          | No     | M18 x 1 | Laminated Wood | Varnish | Adjustable | 370      | Single-Stage, Adjustable | 6.5/ 9/ 11.5/ 14        | II (medium)   |
| <b>CZ 600+ RANGE</b> 223 Rem.      | 1: 9 / 6                       | 5                 | 4,40        | 1106        | 24 / 610              | Heavy          | No     | M15 x 1 | Laminated Wood | Varnish | Adjustable | 365      | Single-Stage, Adjustable | 6.5/ 9/ 11.5/ 14        | I (mini)      |
| <b>CZ 600+ RANGE</b> 6,5 Creedmoor | 1: 8 / 6                       | 5                 | 4,70        | 1140        | 24 / 610              | Heavy          | No     | M18 x 1 | Laminated Wood | Varnish | Adjustable | 370      | Single-Stage, Adjustable | 6.5/ 9/ 11.5/ 14        | II (medium)   |





### Compact sporting rifle.

A compact, accurate, bolt-action rifle with a PDW type telescopic stock and CZ BREN 2 style controls, the CZ 600+ TRAIL is available in the popular calibers. It's a perfect choice for hobby shooters who appreciate having a generous amount of Picatinny and M-LOK mounting interfaces.



# CZ 600+ TRAIL

| MODEL                                 | TWIST RATE / NUMBER OF GROOVES | MAGAZINE CAPACITY | WEIGHT (kg) | LENGTH (mm) | BARREL LENGTH (" / mm) | BARREL PROFILE | SIGHTS | THREAD  | STOCK                    | FINISH | CHEEKPIECE | LOP (mm) | TRIGGER                  | 1ST TRIGGER PULL WEIGHT (N) | 2ND TRIGGER PULL WEIGHT (N) | RECEIVER SIZE |
|---------------------------------------|--------------------------------|-------------------|-------------|-------------|------------------------|----------------|--------|---------|--------------------------|--------|------------|----------|--------------------------|-----------------------------|-----------------------------|---------------|
| <b>CZ 600+ TRAIL</b> 223 Rem.         | 1: 7 / 6                       | 10                | 2,78        | 690-890     | 16 / 412               | Semi-Heavy     | No     | M15 x 1 | Fiber-reinforced polymer | -      | Yes        | 143-347  | Double-Stage, Adjustable | 1,5-4                       | 8-17,5                      | I (mini)      |
| <b>CZ 600+ TRAIL</b> 7,62 x 39        | 1: 9,5 / 4                     | 10                | 2,83        | 690-890     | 16 / 412               | Semi-Heavy     | No     | M15 x 1 | Fiber-reinforced polymer | -      | Yes        | 143-347  | Double-Stage, Adjustable | 1,5-4                       | 8-17,5                      | I (mini)      |
| <b>CZ 600+ TRAIL</b> 300 AAC Blackout | 1: 7 / 4                       | 10                | 2,80        | 690-890     | 16 / 412               | Semi-Heavy     | No     | M15 x 1 | Fiber-reinforced polymer | -      | Yes        | 143-347  | Double-Stage, Adjustable | 1,5-4                       | 8-17,5                      | I (mini)      |





**Compact sporting rifle.**

A compact, accurate, bolt-action rifle with a PDW type telescopic stock and CZ BREN 2 style controls, the CZ 600+ TRAIL is available in the popular calibers. It's a perfect choice for hobby shooters who appreciate having a generous amount of Picatinny and M-LOK mounting interfaces.



**CZ 600+**  
**TRAIL FDE**



| MODEL  | TWIST RATE / NUMBER OF GROOVES | MAGAZINE CAPACITY | WEIGHT (kg) | LENGTH (mm) | BARREL LENGTH (" / mm) | BARREL PROFILE | SIGHTS | THREAD  | STOCK                    | FINISH   | CHEEKPIECE | LOP (mm) | TRIGGER                  | 1ST TRIGGER PULL WEIGHT (N) | 2ND TRIGGER PULL WEIGHT (N) | RECEIVER SIZE |
|--|--------------------------------|-------------------|-------------|-------------|------------------------|----------------|--------|---------|--------------------------|----------|------------|----------|--------------------------|-----------------------------|-----------------------------|---------------|
| <b>CZ 600+ TRAIL FDE</b> 223 Rem.                  | 1: 7 / 6                       | 10                | 2,78        | 690-890     | 16 / 412               | Semi-Heavy     | No     | M15 x 1 | Fiber-reinforced polymer | Cerakote | Yes        | 143-347  | Double-Stage, Adjustable | 1,5-4                       | 8-17,5                      | I (mini)      |
| <b>CZ 600+ TRAIL FDE</b> 7,62 x 39                 | 1: 9,5 / 4                     | 10                | 2,83        | 690-890     | 16 / 412               | Semi-Heavy     | No     | M15 x 1 | Fiber-reinforced polymer | Cerakote | Yes        | 143-347  | Double-Stage, Adjustable | 1,5-4                       | 8-17,5                      | I (mini)      |
| <b>CZ 600+ TRAIL FDE</b> 300 AAC Blackout 1: 7 / 4 |                                | 10                | 2,80        | 690-890     | 16 / 412               | Semi-Heavy     | No     | M15 x 1 | Fiber-reinforced polymer | Cerakote | Yes        | 143-347  | Double-Stage, Adjustable | 1,5-4                       | 8-17,5                      | I (mini)      |

## SPORT SPECIALS THAT COMBINE THE HIGH-END CZ 600+ PLATFORM WITH A SOPHISTICATED CHASSIS

from the world-renowned MDT brand. These rifles feature a generous Picatinny rail, M-LOK mounting points, an Arca Swiss rail, ambidextrous controls, an integrated barricade stop, and an AR-15 compatible stock and pistol grip. The steel receiver only allows for use of MDT AICS 10-round magazines equipped with the proprietary CZ follower for fully reliable feeding, even when manually inserting a round into the chamber through the ejection port.

The result is models optimized for the Production Division of the Precision Rifle Series (PRS) and other tactical shooting disciplines. With advanced ergonomics, a heavy profile cold hammer forged barrel, and an innovative single-action, easy-to-adjust trigger mechanism, CZ guarantees sub-0,75 MOA accuracy (five-shot groups at 100 meters using match-grade factory ammunition).



# CZ 600+ MDT

**NEW**

# CZ 600+ MDT DEEP BRONZE

## Built to dominate the PRS Production division.

The premium Deep Bronze cerakote-finished model features an adjustable MDT Premier Vertical pistol grip, MDT SRS skeleton stock with a fully adjustable cheekpiece (height and axis) and buttstock (height, length, axis), and an effective three-chamber muzzle brake. The extended safety on one side of the firearm also serves as a thumb rest.



| MODEL   | TWIST RATE / NUMBER OF GROOVES | MAGAZINE CAPACITY | WEIGHT (kg) | LENGTH (mm) | BARREL LENGTH ("/ mm) | BARREL PROFILE | SIGHTS | THREAD  | STOCK     | FINISH   | CHEEKPIECE | LOP (mm) | TRIGGER                  | TRIGGER PULL WEIGHT (N) | RECEIVER SIZE |
|---|--------------------------------|-------------------|-------------|-------------|-----------------------|----------------|--------|---------|-----------|----------|------------|----------|--------------------------|-------------------------|---------------|
| <b>CZ 600+ MDT DEEP BRONZE</b> 308 Win.               | 1:10 / 4                       | 10                | 5,6         | 1140-1170   | 24 / 610              | Heavy          | No     | M18 x 1 | Duralumin | Cerakote | Adjustable | 320-350  | Single-Stage, Adjustable | 6.5/ 9/ 11.5/ 14        | II (medium)   |
| <b>CZ 600+ MDT DEEP BRONZE</b> 6 mm Creedmoor 1:7 / 6 | 1:7 / 6                        | 10                | 5,6         | 1140-1170   | 24 / 610              | Heavy          | No     | M18 x 1 | Duralumin | Cerakote | Adjustable | 320-350  | Single-Stage, Adjustable | 6.5/ 9/ 11.5/ 14        | II (medium)   |
| <b>CZ 600+ MDT DEEP BRONZE</b> 6,5 Creedmoor 1:8 / 6  | 1:8 / 6                        | 10                | 5,6         | 1140-1170   | 24 / 610              | Heavy          | No     | M18 x 1 | Duralumin | Cerakote | Adjustable | 320-350  | Single-Stage, Adjustable | 6.5/ 9/ 11.5/ 14        | II (medium)   |

**NEW**

**Built to dominate the PRS Production division.**

This Light Grey cerakote-finished model features an MDT Elite Pistol Grip, adjustable cheekpiece on an AR-15-style buffer tube, and MDT CCS stock with adjustable LOP via butt pad spacers.

**CZ 600+ MDT  
GREY**

| MODEL                                  | TWIST RATE / NUMBER OF GROOVES | MAGAZINE CAPACITY | WEIGHT (kg) | LENGTH (mm) | BARREL LENGTH (" / mm) | BARREL PROFILE | SIGHTS | THREAD  | STOCK     | FINISH   | CHEEKPIECE | LOP (mm) | TRIGGER                  | TRIGGER PULL WEIGHT (N) | RECEIVER SIZE |
|--|--------------------------------|-------------------|-------------|-------------|------------------------|----------------|--------|---------|-----------|----------|------------|----------|--------------------------|-------------------------|---------------|
| <b>CZ 600+ MDT GREY</b> 308 Win.       | 1:10 / 4                       | 10                | 5,3         | 1100-1125   | 24 / 610               | Heavy          | No     | M18 x 1 | Duralumin | Cerakote | Adjustable | 330-355  | Single-Stage, Adjustable | 6.5/ 9/ 11.5/ 14        | II (medium)   |
| <b>CZ 600+ MDT GREY</b> 6 mm Creedmoor | 1:7 / 6                        | 10                | 5,3         | 1100-1125   | 24 / 610               | Heavy          | No     | M18 x 1 | Duralumin | Cerakote | Adjustable | 330-355  | Single-Stage, Adjustable | 6.5/ 9/ 11.5/ 14        | II (medium)   |
| <b>CZ 600+ MDT GREY</b> 6,5 Creedmoor  | 1:8 / 6                        | 10                | 5,3         | 1100-1125   | 24 / 610               | Heavy          | No     | M18 x 1 | Duralumin | Cerakote | Adjustable | 330-355  | Single-Stage, Adjustable | 6.5/ 9/ 11.5/ 14        | II (medium)   |

# Centerfire Rifles



1070-7011  
SPUHR SCOPE MOUNT 2PCS  
HP 30-25 Ø 30 H25, 4 MM



C0302-0002  
LEICA FORTIS RIFLESCOPE  
6.2.5-15 × 56l (L-4A)

C0300-0001  
CZ 600+ MIL-STD-1913 RAIL  
MEDIUM 0 MOA

6000-3320-02ND  
CZ 600+ BOLT HANDLE,  
WOOD KNOB

6003-4000-6401ND  
CZ 600+ MAG 223 REM.,  
5 ROUND

6003-4000-7301ND  
CZ 600+ MAG 7,62 × 39, 5 ROUND

C0315-0000  
CZ GAMEHAMMER  
RIFLE SLING, BLACK

## RECOMMENDED ACCESSORIES



1070-7011  
SPUHR SCOPE MOUNT 2PCS  
HP 30-25 Ø 30 H25, 4 MM



C0302-0001  
LEICA MAGNUS RIFLESCOPE  
1-6.3 × 24 l(L-3D)

6000-3322-01ND  
CZ 600+ BOLT HANDLE,  
POLYMER KNOB

6003-4500-5301ND  
CZ 600+ MAG 308 WIN., 6 MM  
CREEDMOOR, 6,5 CREEDMOOR,  
243 WIN. - 10 ROUND /  
6,5 PRC - 6 ROUND

C0307-0027M  
SILENCER A-TEC OPTIMA  
50 ≤30 15×1

1002-4100-05  
ATI SLING SWIVEL

C0315-0002  
CZ SAUENHAMMER  
RIFLE SLING, ORANGE



C0302-0001  
LEICA MAGNUS RIFLESCOPE  
1-6.3 × 24 I (L-3D)


1070-7011  
SPUHR SCOPE MOUNT  
2PCS HP 30-25 Ø 30 H25, 4 MM  


6003-4000-5301ND  
CZ 600+ MAG 308 WIN.,  
6 MM CREEDMOOR,  
6,5 CREEDMOOR, 243 WIN.  
- 5 ROUND /  
6,5 PRC - 3 ROUND

C0115-0000  
TRIGATTI RIFLE SLING  
(2 PCS IN PACKAGE)

C0315-0000  
CZ GAMEHAMMER  
RIFLE SLING, BLACK

**RECOMMENDED**  
**ACCESSORIES**



A0201-0018  
AIMPOINT 3×MAG-1  
MAGNIFIER

A0101-0016  
AIMPOINT MICRO H-2 RED DOT SIGHT,  
200186 (WITHOUT SPACER AND MOUNT)

A0310-0003  
QD SLING SWIVEL 25 MM

3722-3500-6503ND  
CZ MAG 5,56 × 45,  
10 ROUND

A0210-0007  
SPUHR MOUNT SM-2001 T-2/  
COMP5 H30 MM  


D2800-0301  
4M TACTICAL RIFLE SLING 40 MM,  
BLACK, UNI SIZE  


# Centerfire Rifles

CENTERFIRE RIFLES PARAMETERS

| MODEL                                 | TWIST RATE / NUMBER OF GROOVES | MAGAZINE CAPACITY | WEIGHT (kg) | LENGTH (mm) | BARREL LENGTH ("/ mm) | BARREL PROFILE | SIGHTS | THREAD  | STOCK                    | FINISH     | CHEEKPIECE | LOP (mm) | TRIGGER                  | TRIGGER PULL WEIGHT (N) | RECEIVER SIZE |
|---------------------------------------|--------------------------------|-------------------|-------------|-------------|-----------------------|----------------|--------|---------|--------------------------|------------|------------|----------|--------------------------|-------------------------|---------------|
| <b>CZ 600+ AMERICAN</b> 223 Rem.      | 1:9 / 6                        | 5                 | 3,2         | 1102        | 24 / 610              | Light          | No     | M15 × 1 | Walnut                   | Varnish    | No         | 355      | Single-Stage, Adjustable | 6.5/ 9/11.5/14          | I (mini)      |
| <b>CZ 600+ AMERICAN</b> 7,62 × 39     | 1:9,5 / 4                      | 5                 | 2,8         | 949         | 18 / 457              | Light          | No     | M15 × 1 | Walnut                   | Varnish    | No         | 355      | Single-Stage, Adjustable | 6.5/ 9/11.5/14          | I (mini)      |
| <b>CZ 600+ AMERICAN</b> 243 Win.      | 1:10 / 6                       | 5                 | 3,5         | 1025        | 20 / 508              | Light          | No     | M15 × 1 | Walnut                   | Varnish    | No         | 355      | Single-Stage, Adjustable | 6.5/ 9/11.5/14          | II (medium)   |
| <b>CZ 600+ AMERICAN</b> 270 Win.      | 1:10 / 4                       | 5                 | 3,7         | 1140        | 24 / 610              | Light          | No     | M15 × 1 | Walnut                   | Varnish    | No         | 355      | Single-Stage, Adjustable | 6.5/ 9/11.5/14          | III (long)    |
| <b>CZ 600+ AMERICAN</b> 30-06 Spring. | 1:10 / 4                       | 5                 | 3,7         | 1140        | 24 / 610              | Light          | No     | M15 × 1 | Walnut                   | Varnish    | No         | 355      | Single-Stage, Adjustable | 6.5/ 9/11.5/14          | III (long)    |
| <b>CZ 600+ AMERICAN</b> 300 Win. Mag. | 1:10 / 4                       | 3                 | 3,7         | 1140        | 24 / 610              | Light          | No     | M15 × 1 | Walnut                   | Varnish    | No         | 355      | Single-Stage, Adjustable | 6.5/ 9/11.5/14          | III (long)    |
| <b>CZ 600+ AMERICAN</b> 308 Win.      | 1:10 / 4                       | 5                 | 3,5         | 1025        | 20 / 508              | Light          | No     | M15 × 1 | Walnut                   | Varnish    | No         | 355      | Single-Stage, Adjustable | 6.5/ 9/11.5/14          | II (medium)   |
| <b>CZ 600+ AMERICAN</b> 6,5 Creedmoor | 1:8 / 6                        | 5                 | 3,7         | 1127        | 24 / 610              | Light          | No     | M15 × 1 | Walnut                   | Varnish    | No         | 355      | Single-Stage, Adjustable | 6.5/ 9/11.5/14          | II (medium)   |
| <b>CZ 600+ LUX</b> 223 Rem.           | 1:9 / 6                        | 5                 | 3,17        | 997         | 20 / 508              | Light          | Yes    | M15 × 1 | Walnut                   | Oil        | Yes        | 370      | Single-Stage, Adjustable | 6.5/ 9/11.5/14          | I (mini)      |
| <b>CZ 600+ LUX</b> 223 Rem. 24"       | 1:9 / 6                        | 5                 | 3,40        | 1099        | 24 / 610              | Light          | Yes    | M15 × 1 | Walnut                   | Oil        | Yes        | 370      | Single-Stage, Adjustable | 6.5/ 9/11.5/14          | I (mini)      |
| <b>CZ 600+ LUX</b> 7,62 × 39          | 1:9,5 / 4                      | 5                 | 3,0         | 946         | 18 / 457              | Light          | Yes    | M15 × 1 | Walnut                   | Oil        | Yes        | 370      | Single-Stage, Adjustable | 6.5/ 9/11.5/14          | I (mini)      |
| <b>CZ 600+ LUX</b> 308 Win.           | 1:10 / 4                       | 5                 | 3,79        | 1040        | 20 / 508              | Light          | Yes    | M15 × 1 | Walnut                   | Oil        | Yes        | 370      | Single-Stage, Adjustable | 6.5/ 9/11.5/14          | II (medium)   |
| <b>CZ 600+ LUX</b> 30-06 Spring.      | 1:10 / 4                       | 5                 | 3,7         | 1053        | 20 / 508              | Light          | Yes    | M15 × 1 | Walnut                   | Oil        | Yes        | 370      | Single-Stage, Adjustable | 6.5/ 9/11.5/14          | III (long)    |
| <b>CZ 600+ LUX</b> 8 × 57 IS          | 1:9,5 / 4                      | 5                 | 3,62        | 1053        | 20 / 508              | Light          | Yes    | M15 × 1 | Walnut                   | Oil        | Yes        | 370      | Single-Stage, Adjustable | 6.5/ 9/11.5/14          | III (long)    |
| <b>CZ 600+ LUX</b> 300 Win. Mag.      | 1:10 / 4                       | 3                 | 3,87        | 1155        | 24 / 610              | Light          | Yes    | M15 × 1 | Walnut                   | Oil        | Yes        | 370      | Single-Stage, Adjustable | 6.5/ 9/11.5/14          | III (long)    |
| <b>CZ 600+ ALPHA</b> 223 Rem.         | 1:7 / 6                        | 5                 | 2,99        | 1096        | 24 / 610              | Semi-Heavy     | No     | M15 × 1 | Fiber-reinforced polymer | Soft-touch | No         | 355      | Single-Stage, Adjustable | 6.5/ 9/11.5/14          | I (mini)      |
| <b>CZ 600+ ALPHA</b> 7,62 × 39        | 1:9,5 / 4                      | 5                 | 2,53        | 943         | 18 / 457              | Semi-Heavy     | No     | M15 × 1 | Fiber-reinforced polymer | Soft-touch | No         | 355      | Single-Stage, Adjustable | 6.5/ 9/11.5/14          | I (mini)      |
| <b>CZ 600+ ALPHA</b> 243 Win.         | 1:10 / 6                       | 5                 | 3,4         | 1020        | 20 / 508              | Semi-Heavy     | No     | M15 × 1 | Fiber-reinforced polymer | Soft-touch | No         | 355      | Single-Stage, Adjustable | 6.5/ 9/11.5/14          | II (medium)   |
| <b>CZ 600+ ALPHA</b> 308 Win.         | 1:10 / 4                       | 5                 | 3,22        | 1020        | 20 / 508              | Semi-Heavy     | No     | M15 × 1 | Fiber-reinforced polymer | Soft-touch | No         | 355      | Single-Stage, Adjustable | 6.5/ 9/11.5/14          | II (medium)   |
| <b>CZ 600+ ALPHA</b> 6,5 Creedmoor    | 1:8 / 6                        | 5                 | 3,45        | 1071        | 22 / 559              | Semi-Heavy     | No     | M15 × 1 | Fiber-reinforced polymer | Soft-touch | No         | 355      | Single-Stage, Adjustable | 6.5/ 9/11.5/14          | II (medium)   |
| <b>CZ 600+ ALPHA</b> 270 Win.         | 1:10 / 4                       | 5                 | 3,5         | 1033        | 20 / 508              | Semi-Heavy     | No     | M15 × 1 | Fiber-reinforced polymer | Soft-touch | No         | 355      | Single-Stage, Adjustable | 6.5/ 9/11.5/14          | III (long)    |
| <b>CZ 600+ ALPHA</b> 30-06 Spring.    | 1:10 / 4                       | 5                 | 3,3         | 1033        | 20 / 508              | Semi-Heavy     | No     | M15 × 1 | Fiber-reinforced polymer | Soft-touch | No         | 355      | Single-Stage, Adjustable | 6.5/ 9/11.5/14          | III (long)    |
| <b>CZ 600+ ALPHA</b> 8 × 57 IS        | 1:9,5 / 4                      | 5                 | 3,29        | 1033        | 20 / 508              | Semi-Heavy     | No     | M15 × 1 | Fiber-reinforced polymer | Soft-touch | No         | 355      | Single-Stage, Adjustable | 6.5/ 9/11.5/14          | III (long)    |
| <b>CZ 600+ ALPHA</b> 300 Win. Mag.    | 1:10 / 4                       | 3                 | 3,52        | 1135        | 24 / 610              | Semi-Heavy     | No     | M15 × 1 | Fiber-reinforced polymer | Soft-touch | No         | 355      | Single-Stage, Adjustable | 6.5/ 9/11.5/14          | III (long)    |



# Centerfire Rifles

CENTERFIRE RIFLES PARAMETERS

| MODEL                                    | TWIST RATE / NUMBER OF GROOVES | MAGAZINE CAPACITY | WEIGHT (kg) | LENGTH (mm) | BARREL LENGTH ("/ mm) | BARREL PROFILE | SIGHTS | THREAD  | STOCK                    | FINISH     | CHEEKPIECE | LOP (mm) | TRIGGER                  | TRIGGER PULL WEIGHT (N) | RECEIVER SIZE |
|--|--------------------------------|-------------------|-------------|-------------|-----------------------|----------------|--------|---------|--------------------------|------------|------------|----------|--------------------------|-------------------------|---------------|
| <b>CZ 600+ ERGO</b> 223 Rem.             | 1:9/6                          | 5                 | 2,59        | 1013        | 20/508                | Light          | No     | M15 x 1 | Fiber-reinforced polymer | Soft-touch | No         | 370      | Single-Stage, Adjustable | 6.5/9/11.5/14           | I (mini)      |
| <b>CZ 600+ ERGO</b> 7,62 x 39            | 1:9,5/4                        | 5                 | 2,4         | 962         | 18/457                | Light          | No     | M15 x 1 | Fiber-reinforced polymer | Soft-touch | No         | 370      | Single-Stage, Adjustable | 6.5/9/11.5/14           | I (mini)      |
| <b>CZ 600+ ERGO</b> 308 Win.             | 1:10/4                         | 5                 | 2,87        | 1038        | 20/508                | Light          | No     | M15 x 1 | Fiber-reinforced polymer | Soft-touch | No         | 370      | Single-Stage, Adjustable | 6.5/9/11.5/14           | II (medium)   |
| <b>CZ 600+ ERGO</b> 6,5 Creedmoor        | 1:8/4                          | 5                 | 3,01        | 1089        | 22/559                | Light          | No     | M15 x 1 | Fiber-reinforced polymer | Soft-touch | No         | 370      | Single-Stage, Adjustable | 6.5/9/11.5/14           | II (medium)   |
| <b>CZ 600+ ERGO</b> 30-06 Spring.        | 1:10/4                         | 5                 | 2,91        | 1052        | 20/508                | Light          | No     | M15 x 1 | Fiber-reinforced polymer | Soft-touch | No         | 370      | Single-Stage, Adjustable | 6.5/9/11.5/14           | III (long)    |
| <b>CZ 600+ ERGO</b> 8 x 57 IS            | 1:9,5/4                        | 5                 | 2,91        | 1052        | 20/508                | Light          | No     | M15 x 1 | Fiber-reinforced polymer | Soft-touch | No         | 370      | Single-Stage, Adjustable | 6.5/9/11.5/14           | III (long)    |
| <b>CZ 600+ ERGO</b> 300 Win. Mag.        | 1:10/4                         | 3                 | 3,08        | 1154        | 24/610                | Light          | No     | M15 x 1 | Fiber-reinforced polymer | Soft-touch | No         | 370      | Single-Stage, Adjustable | 6.5/9/11.5/14           | III (long)    |
| <b>CZ 600+ ERGO DRIVEN HUNT</b> 308 Win. | 1:10/4                         | 10                | 2,87        | 1038        | 20/508                | Light          | No     | M15 x 1 | Polymer                  | Soft-touch | No         | 370      | Single-Stage, Adjustable | 6.5/9/11.5/14           | II (medium)   |
| <b>CZ 600+ RANGE</b> 308 Win.            | 1:10/4                         | 5                 | 4,61        | 1140        | 24/610                | Heavy          | No     | M18 x 1 | Laminated Wood           | Varnish    | Adjustable | 370      | Single-Stage, Adjustable | 6.5/9/11.5/14           | II (medium)   |
| <b>CZ 600+ RANGE</b> Creedmoor           | 1:7/6                          | 5                 | 4,70        | 1140        | 24/610                | Heavy          | No     | M18 x 1 | Laminated Wood           | Varnish    | Adjustable | 370      | Single-Stage, Adjustable | 6.5/9/11.5/14           | II (medium)   |
| <b>CZ 600+ RANGE</b> 223 Rem.            | 1:9/6                          | 5                 | 4,40        | 1106        | 24/610                | Heavy          | No     | M15 x 1 | Laminated Wood           | Varnish    | Adjustable | 365      | Single-Stage, Adjustable | 6.5/9/11.5/14           | I (mini)      |
| <b>CZ 600+ RANGE</b> 6,5 Creedmoor       | 1:8/6                          | 5                 | 4,70        | 1140        | 24/610                | Heavy          | No     | M18 x 1 | Laminated Wood           | Varnish    | Adjustable | 370      | Single-Stage, Adjustable | 6.5/9/11.5/14           | II (medium)   |

| MODEL                                     | TWIST RATE / NUMBER OF GROOVES | MAGAZINE CAPACITY | WEIGHT (kg) | LENGTH (mm) | BARREL LENGTH ("/ mm) | BARREL PROFILE | SIGHTS | THREAD  | STOCK                    | FINISH   | CHEEKPIECE | LOP (mm) | TRIGGER                  | 1ST TRIGGER PULL WEIGHT (N) | 2ND TRIGGER PULL WEIGHT (N) | RECEIVER SIZE |
|---|--------------------------------|-------------------|-------------|-------------|-----------------------|----------------|--------|---------|--------------------------|----------|------------|----------|--------------------------|-----------------------------|-----------------------------|---------------|
| <b>CZ 600+ TRAIL</b> 223 Rem.             | 1:7/6                          | 10                | 2,78        | 690-890     | 16/412                | Semi-Heavy     | No     | M15 x 1 | Fiber-reinforced polymer | -        | Yes        | 143-347  | Double-Stage, Adjustable | 1,5-4                       | 8-17,5                      | I (mini)      |
| <b>CZ 600+ TRAIL</b> 7,62 x 39            | 1:9,5/4                        | 10                | 2,83        | 690-890     | 16/412                | Semi-Heavy     | No     | M15 x 1 | Fiber-reinforced polymer | -        | Yes        | 143-347  | Double-Stage, Adjustable | 1,5-4                       | 8-17,5                      | I (mini)      |
| <b>CZ 600+ TRAIL</b> 300 AAC Blackout     | 1:7/4                          | 10                | 2,80        | 690-890     | 16/412                | Semi-Heavy     | No     | M15 x 1 | Fiber-reinforced polymer | -        | Yes        | 143-347  | Double-Stage, Adjustable | 1,5-4                       | 8-17,5                      | I (mini)      |
| <b>CZ 600+ TRAIL FDE</b> 223 Rem.         | 1:7/6                          | 10                | 2,78        | 690-890     | 16/412                | Semi-Heavy     | No     | M15 x 1 | Fiber-reinforced polymer | Cerakote | Yes        | 143-347  | Double-Stage, Adjustable | 1,5-4                       | 8-17,5                      | I (mini)      |
| <b>CZ 600+ TRAIL FDE</b> 7,62 x 39        | 1:9,5/4                        | 10                | 2,83        | 690-890     | 16/412                | Semi-Heavy     | No     | M15 x 1 | Fiber-reinforced polymer | Cerakote | Yes        | 143-347  | Double-Stage, Adjustable | 1,5-4                       | 8-17,5                      | I (mini)      |
| <b>CZ 600+ TRAIL FDE</b> 300 AAC Blackout | 1:7/4                          | 10                | 2,80        | 690-890     | 16/412                | Semi-Heavy     | No     | M15 x 1 | Fiber-reinforced polymer | Cerakote | Yes        | 143-347  | Double-Stage, Adjustable | 1,5-4                       | 8-17,5                      | I (mini)      |

| MODEL   | TWIST RATE / NUMBER OF GROOVES | MAGAZINE CAPACITY | WEIGHT (kg) | LENGTH (mm) | BARREL LENGTH ("/ mm) | BARREL PROFILE | SIGHTS | THREAD  | STOCK     | FINISH   | CHEEKPIECE | LOP (mm) | TRIGGER                  | TRIGGER PULL WEIGHT (N) | RECEIVER SIZE |
|---|--------------------------------|-------------------|-------------|-------------|-----------------------|----------------|--------|---------|-----------|----------|------------|----------|--------------------------|-------------------------|---------------|
| <b>CZ 600+ MDT GREY</b> 308 Win.              | 1:10/4                         | 10                | 5,3         | 1100-1125   | 24/610                | Heavy          | No     | M18 x 1 | Duralumin | Cerakote | Adjustable | 330-355  | Single-Stage, Adjustable | 6.5/9/11.5/14           | II (medium)   |
| <b>CZ 600+ MDT GREY</b> 6 mm Creedmoor        | 1:7/6                          | 10                | 5,3         | 1100-1125   | 24/610                | Heavy          | No     | M18 x 1 | Duralumin | Cerakote | Adjustable | 330-355  | Single-Stage, Adjustable | 6.5/9/11.5/14           | II (medium)   |
| <b>CZ 600+ MDT GREY</b> 6,5 Creedmoor         | 1:8/6                          | 10                | 5,3         | 1100-1125   | 24/610                | Heavy          | No     | M18 x 1 | Duralumin | Cerakote | Adjustable | 330-355  | Single-Stage, Adjustable | 6.5/9/11.5/14           | II (medium)   |
| <b>CZ 600+ MDT DEEP BRONZE</b> 308 Win.       | 1:10/4                         | 10                | 5,6         | 1140-1170   | 24/610                | Heavy          | No     | M18 x 1 | Duralumin | Cerakote | Adjustable | 320-350  | Single-Stage, Adjustable | 6.5/9/11.5/14           | II (medium)   |
| <b>CZ 600+ MDT DEEP BRONZE</b> 6 mm Creedmoor | 1:7/6                          | 10                | 5,6         | 1140-1170   | 24/610                | Heavy          | No     | M18 x 1 | Duralumin | Cerakote | Adjustable | 320-350  | Single-Stage, Adjustable | 6.5/9/11.5/14           | II (medium)   |
| <b>CZ 600+ MDT DEEP BRONZE</b> 6,5 Creedmoor  | 1:8/6                          | 10                | 5,6         | 1140-1170   | 24/610                | Heavy          | No     | M18 x 1 | Duralumin | Cerakote | Adjustable | 320-350  | Single-Stage, Adjustable | 6.5/9/11.5/14           | II (medium)   |



# RIMFIRE RIFLES



A gateway to the fascinating world of guns and shooting. They're an irreplaceable training aid and exciting source of entertainment, as well as an effective hunting tool and target shooter.

These are considered the traditional qualities of long firearms that use rimfire ammunition, so-called rimfire rifles, and models from CZ have been designed by leading experts with a focus on innovation, shooting comfort, safety and advantageous pricing. The best proof of their success is the millions of satisfied customers and fans around the world, together with the fact that CZ is considered a global standard in this segment. The backbone of its current range is the CZ 457 bolt-action rifle series, which brings many outstanding features to the table.

## CZ 457 SERIES A NEW GENERATION OF MODERN RIMFIRE RIFLES


The CZ 457 series offers exceptional user comfort due to its easy, fast and reliable operation, even with a mounted riflescope. For maximum safety, it comes with a push-to-fire safety on the right side of the receiver, striker status indicator and a separate bolt extractor control. Shooting accuracy is ensured with its adjustable trigger mechanism that features low trigger pull weight and excellent travel, combined with a noticeably lighter striker and a new type of bedding. Other benefits include an extremely durable anticorrosion finish on metal parts, easy change of caliber by users and reliable polymer magazines that are compatible with the previous generation of CZ rimfire rifles.



MAIN FEATURES OF THE  
**CZ 457** SERIES




Adjustable trigger mechanism for setting pull weight and trigger travel



Striker status indicator

Top quality cold hammer forged barrels and easy replacement of barrel with an option to change the caliber



Open and remove bolt even with safety engaged



Intuitive push-to-fire safety



New ergonomic stocks




Separate bolt removal




Lighter striker increases striking speed and reduces vibration during firing



60° angle of the bolt handle for quick and convenient reloading, even with a mounted riflescope



New type of bedding constantly tightens screws in stock for high accuracy and extreme barrel stability



Match chamber (selected 22 LR caliber models)



Fully adjustable ergonomics allow the rifle to be precisely tailored to the shooter, while support for competition accessories – including interchangeable pistol grips, diopter sights, and training devices – makes the CZ 457 TARGET a versatile tool for both training and match shooting.



Target: Accuracy.

# CZ 457 TARGET



The CZ 457 TARGET is a purpose-built rimfire rifle designed for ISSF competition. Building on the proven accuracy of the CZ 457 with MATCH chamber, it raises performance even further with a competition-ready aluminum chassis co-developed with Olympic champion Matt Emmons.

| MODEL         | CALIBER (TWIST RATE) / NUMBER OF GROOVES | MAGAZINE CAPACITY | WEIGHT (kg) | LENGTH (mm) | BARREL LENGTH ("/mm) | BARREL PROFILE | SIGHTS | THREAD | COMPENSATOR | STOCK     | FINISH             | CHEEKPIECE | LOP (mm) | TRIGGER    | TRIGGER PULL WEIGHT (N) |
|---------------|--|-------------------|-------------|-------------|----------------------|----------------|--------|--------|-------------|-----------|--------------------|------------|----------|------------|-------------------------|
| CZ 457 TARGET | 22 LR (1:16) / 6                         | 1                 | 5,2         | 1151-1182   | 26 / 660             | Heavy          | No     | No     | Diffuser    | Duralumin | Hardcoat anodizing | Adjustable | 291-328  | Adjustable | 0,9-1,8                 |

## MAIN FEATURES OF THE **CZ 457 TARGET**



### FLYWEIGHT TRIGGER

The CZ 457 TARGET features the lightest CZ 457 trigger mechanism to date, factory-set to approximately 110 grams. The fully adjustable two-stage trigger allows fine-tuning of first- and second-stage travel, sear engagement, trigger pull weight, overtravel, and trigger blade angle and reach. The reworked firing pin ensures a smooth and crisp trigger function. The trigger kit is backward-compatible with existing CZ 457 rifles and accepts Anschütz trigger blades.

### THE CHEEKPIECE

The CZ 457 TARGET stock features a three-axis-adjustable, two-sided cheekpiece with a different shape on each side for optimal cheek weld.



### PROVEN AND RELIABLE SYSTEM

The CZ 457 TARGET features a further improved CZ 457 action with an adjustable single-shot loading system. A straight extended bolt handle with an enlarged, checkered aluminum CZ 600+ RANGE-style bolt knob ensures smooth and natural reloading.

### LONGER MATCH BARREL

The CZ 457 TARGET features a new 26-inch MATCH barrel with 12 grooves and a target crown for maximum precision. The cold hammer-forged barrel is equipped with a diffuser with an 11 mm dovetail for mounting a front sight and additional weights. Guaranteed accuracy reaches a dispersion of 12 mm at 50 m (10-shot group).



### THE PISTOL GRIP

The CZ 457 TARGET features a three-axis-adjustable pistol grip, available in three different sizes. It allows precise fitting to the shooter's hand, ensuring maximum comfort and a firm, consistent grip.

### THE BUTTSTOCK

The CZ 457 TARGET is paired with a side-tiltable buttstock featuring a five-axis-adjustable buttpad. A three-segment shoulder hook, adjustable for shape and tilt, provides enhanced stability and precise fit.



### THE FOREHAND RISER

The CZ 457 TARGET forehand riser is adjustable in three axes, allowing precise and comfortable positioning of the rifle in the supporting hand.

**NEW**



**NEW**



## CZ 457 HUNTER STRATA

The new CZ 457 HUNTER STRATA is a new model in the CZ 457 rimfire rifle series. It features a highly effective camouflage pattern on a polymer stock with a soft-touch surface, providing a pleasant feel in the hand and exceptional resistance to adverse weather conditions. The matte bronze finish on the 20-inch light barrel and all metal parts, combined with a high-quality PVD coating, further helps the rifle blend into natural surroundings while offering excellent resistance to wear and corrosion. The package also includes a compensator to reduce muzzle rise.

## CZ 457 HUNTER VEIL

CZ 457 HUNTER VEIL is one of the latest rimfire rifle models in the CZ 457 series. Thanks to the camouflage pattern on the polymer stock with a soft-touch surface, it blends perfectly with natural surroundings, ensures exceptional durability, and provides protection against adverse weather conditions. The twenty-inch light-profile barrel and all metal parts feature a matte bronze finish, which further contributes to low visibility in the field, while the high-quality PVD coating ensures outstanding resistance to wear and corrosion. The mounted compensator helps reduce muzzle rise.

| MODEL                       | CALIBER (TWIST RATE) / NUMBER OF GROOVES | MAGAZINE CAPACITY | WEIGHT (kg) | LENGTH (mm) | BARREL LENGTH (" / mm) | BARREL PROFILE | SIGHTS | THREAD   | COMPENSATOR | STOCK   | FINISH     | CHEEKPIECE | LOP (mm) | TRIGGER    | TRIGGER PULL WEIGHT (N) |
|-----------------------------|--|-------------------|-------------|-------------|------------------------|----------------|--------|----------|-------------|---------|------------|------------|----------|------------|-------------------------|
| <b>CZ 457 HUNTER STRATA</b> | 22 LR (1 : 16) / 6                       | 5                 | 2,5         | 977         | 20 / 525               | Light          | No     | 1/2 × 20 | Yes         | Polymer | Soft-touch | No         | 356      | Adjustable | 11,1-14                 |
| <b>CZ 457 HUNTER VEIL</b>   | 22 LR (1 : 16) / 6                       | 5                 | 2,5         | 977         | 20 / 525               | Light          | No     | 1/2 × 20 | Yes         | Polymer | Soft-touch | No         | 356      | Adjustable | 11,1-14                 |



**NEW**

# CZ 457 ERGO

The CZ 457 ERGO is built on the popular and time-proven modular CZ 457 platform, enhanced with a new thumbhole-style stock inspired by the design of the CZ 600+ ERGO. This polymer stock, reinforced with fiberglass and equipped with a removable cheekpiece, offers excellent comfort and high durability while maintaining a very pleasant weight.

The CZ 457 ERGO is fitted with a cold hammer-forged barrel measuring 525 mm in length, featuring a standardized thread for mounting muzzle devices. It is available in a version with iron sights or a variant without sights, ideal for mounting a riflescope. For the version with iron sights, mounting holes can be covered with included plugs after the sights are removed.



| MODEL                             | CALIBER (TWIST RATE) / NUMBER OF GROOVES | MAGAZINE CAPACITY | WEIGHT (kg) | LENGTH (mm) | BARREL LENGTH (" / mm) | BARREL PROFILE | SIGHTS | THREAD   | COMPENSATOR | STOCK   | FINISH | CHEEKPIECE | LOP (mm) | TRIGGER    | TRIGGER PULL WEIGHT (N) |
|-----------------------------------|--|-------------------|-------------|-------------|------------------------|----------------|--------|----------|-------------|---------|--------|------------|----------|------------|-------------------------|
| <b>CZ 457 ERGO</b> with sights    | 22 LR (1 : 16) / 6                       | 5                 | 2,3         | 976         | 20 / 525               | Light          | Yes    | 1/2 × 20 | No          | Polymer | VDI    | Detachable | 356      | Adjustable | 11,1-14                 |
| <b>CZ 457 ERGO</b> without sights | 22 LR (1 : 16) / 6                       | 5                 | 2,3         | 976         | 20 / 525               | Light          | No     | 1/2 × 20 | No          | Polymer | VDI    | Detachable | 356      | Adjustable | 11,1-14                 |

NEW



# CZ 457 CARBON

The new, key feature of the CZ 457 CARBON, chambered in 22 LR, is an innovative composite barrel that combines the best properties of steel and carbon fiber to provide many unique advantages. Due to this advanced technology, the CZ 457 CARBON weighs in at only 2.15 kg, making it the lightest model in the CZ 457 series. It delivers the accuracy of varmint models, together with a host of new benefits.



| MODEL         | CALIBER (TWIST RATE) / NUMBER OF GROOVES | MAGAZINE CAPACITY | WEIGHT (kg) | LENGTH (mm) | BARREL LENGTH ("/mm) | BARREL PROFILE             | SIGHTS | THREAD       | COMPENSATOR | STOCK   | FINISH     | CHEEKPIECE | LOP (mm) | TRIGGER                  | TRIGGER PULL WEIGHT (N) |
|---------------|--|-------------------|-------------|-------------|----------------------|----------------------------|--------|--------------|-------------|---------|------------|------------|----------|--------------------------|-------------------------|
| CZ 457 CARBON | 22 LR (1:16) / 6                         | 5                 | 2,2         | 977         | 20 / 525             | Carbon fiber-wrapped steel | No     | 1/2 x 20 UNF | No          | Polymer | Soft-touch | No         | 356      | Single-stage, Adjustable | 11,1-14                 |



Its laminated and varnished adjustable wood stock makes a significant contribution to both accuracy and comfort.

# CZ 457 RANGE

A new sport and hunting rimfire rifle based on the design of the CZ 600+ RANGE centerfire rifle. This 22 LR model, like its large-caliber brother, is a versatile firearm for high-precision shooting at medium to long distances. It is an ideal choice for static and dynamic target shooting, as well as for hunting small game and varmints.

High accuracy is achieved thanks to its heavy, 525 or 610 mm (20" or 24") cold hammer forged barrel with MATCH chamber. The muzzle with thread protector comes with standardized threading for easy mounting of accessories.



| MODEL                   | CALIBER (TWIST RATE) / NUMBER OF GROOVES | MAGAZINE CAPACITY | WEIGHT (kg) | LENGTH (mm) | BARREL LENGTH (" / mm) | BARREL PROFILE | SIGHTS | THREAD   | COMPENSATOR | STOCK          | FINISH  | CHEEKPIECE | LOP (mm) | TRIGGER    | TRIGGER PULL WEIGHT (N) |
|-------------------------|--|-------------------|-------------|-------------|------------------------|----------------|--------|----------|-------------|----------------|---------|------------|----------|------------|-------------------------|
| <b>CZ 457 RANGE 20"</b> | 22 LR (1 : 16) / 6                       | 5                 | 3,7         | 980         | 20 / 525               | Heavy          | No     | 1/2 × 20 | No          | Laminated Wood | Varnish | Adjustable | 365      | Adjustable | 11,1-14                 |
| <b>CZ 457 RANGE 24"</b> | 22 LR (1 : 16) / 6                       | 5                 | 4           | 990         | 24 / 630               | Heavy          | No     | 1/2 × 20 | No          | Laminated Wood | Varnish | Adjustable | 365      | Adjustable | 11,1-14                 |



## CZ 457 MDT

An innovative sport model with a visually appealing duralumin chassis from the renowned MDT brand. Its fluted barrel with MATCH chamber is fitted with a compensator and the stock, optimized for extreme shooting comfort, features a height adjustable comb. LOP can be changed through the use of the four included buttpad spacers. The Picatinny mounting rail with 25 MOA inclination allows for easy sighting in of the riflescope, even at longer distances.

## CZ 457 IRP BLACK

A new version of this popular model for accurate, long range shooting. It comes with a 20" heavy and fluted cold hammer forged barrel, MATCH chamber and an effective cylindrical compensator mounted on the muzzle. All key features of its black, target-style stock are adjustable. A Picatinny mounting rail with 25 MOA inclination allows for easy sighting in of the riflescope.

| MODEL                   | CALIBER (TWIST RATE) / NUMBER OF GROOVES | MAGAZINE CAPACITY | WEIGHT (kg) | LENGTH (mm) | BARREL LENGTH ("/ mm) | BARREL PROFILE | SIGHTS | THREAD   | COMPENSATOR | STOCK     | FINISH     | CHEEKPIECE | LOP (mm) | TRIGGER    | TRIGGER PULL WEIGHT (N) |
|-------------------------|--|-------------------|-------------|-------------|-----------------------|----------------|--------|----------|-------------|-----------|------------|------------|----------|------------|-------------------------|
| <b>CZ 457 MDT</b>       | 22 LR (1:16) / 6                         | 5                 | 3,4         | 1022        | 20 / 525              | Heavy, Fluted  | No     | 1/2 x 20 | Yes         | Duralumin | Cerakote   | Adjustable | 335-360  | Adjustable | 11,1-14                 |
| <b>CZ 457 LRP BLACK</b> | 22 LR (1:16) / 6                         | 5                 | 3,9         | 1003        | 20 / 525              | Heavy, Fluted  | No     | 1/2 x 20 | Yes         | Beech     | Soft-touch | Adjustable | 351-382  | Adjustable | 11,1-14                 |





## CZ 457 THUMBHOLE

The perfect combination of ergonomics and elegance. The defining characteristic of this model is its thumbhole stock made from high-strength, gray-brown laminated wood, which also features a unique integrated trigger guard. Its sophisticated stock design allows for comfortable use by both right- and left-handed shooters.

| MODEL                       | CALIBER (TWIST RATE) / NUMBER OF GROOVES | MAGAZINE CAPACITY | WEIGHT (kg) | LENGTH (mm) | BARREL LENGTH (" / mm) | BARREL PROFILE | SIGHTS | THREAD   | COMPENSATOR | STOCK     | FINISH  | CHEEKPIECE | LOP (mm) | TRIGGER    | TRIGGER PULL WEIGHT (N) |
|-----------------------------|--|-------------------|-------------|-------------|------------------------|----------------|--------|----------|-------------|-----------|---------|------------|----------|------------|-------------------------|
| <b>CZ 457 THUMBHOLE 16"</b> | 22 LR (1 : 16) / 6                       | 5                 | 3,2         | 885         | 16 / 412,5             | Heavy          | No     | 1/2 × 20 | Yes         | Laminated | Varnish | Yes        | 360      | Adjustable | 11,1-14                 |
| <b>CZ 457 THUMBHOLE 20"</b> | 17 HMR (1 : 9) / 6                       | 5                 | 3,6         | 997         | 20 / 525               | Heavy          | No     | 1/2 × 20 | Yes         | Laminated | Varnish | Yes        | 360      | Adjustable | 11,1-14                 |
| <b>CZ 457 THUMBHOLE 20"</b> | 22 LR (1 : 16) / 6                       | 5                 | 3,6         | 997         | 20 / 525               | Heavy          | No     | 1/2 × 20 | Yes         | Laminated | Varnish | Yes        | 360      | Adjustable | 11,1-14                 |
| <b>CZ 457 THUMBHOLE 20"</b> | 22 WMR (1 : 16) / 6                      | 5                 | 3,6         | 997         | 20 / 525               | Heavy          | No     | 1/2 × 20 | Yes         | Laminated | Varnish | Yes        | 360      | Adjustable | 11,1-14                 |



## CZ 457 STAINLESS

A trail model created for those who appreciate the use of premium materials. Along with the many strengths of the CZ 457 series, this 22 LR caliber rifle features a modern digital camouflage pattern on its high comfort, soft-touch finished polymer stock and comes with a light profile, weather-resistant stainless steel barrel.



## CZ 457 SYNTHETIC

The main feature for this model is increased resistance to adverse environmental conditions. All metal components come with a high quality, anti-corrosion finish. Its ergonomically friendly, and extremely strong, polymer stock comes with a soft-touch finish and is resistant to moisture, cold and heat.



| MODEL                       | CALIBER (TWIST RATE) / NUMBER OF GROOVES | MAGAZINE CAPACITY | WEIGHT (kg) | LENGTH (mm) | BARREL LENGTH ("/ mm) | BARREL PROFILE | SIGHTS | THREAD   | COMPENSATOR | STOCK   | FINISH     | CHEEKPIECE | LOP (mm) | TRIGGER    | TRIGGER PULL WEIGHT (N) |
|-----------------------------|--|-------------------|-------------|-------------|-----------------------|----------------|--------|----------|-------------|---------|------------|------------|----------|------------|-------------------------|
| <b>CZ 457 STAINLESS</b>     | 22 LR (1 : 16) / 6                       | 5                 | 2,5         | 977         | 20 / 525              | Light          | No     | 1/2 × 20 | No          | Polymer | Soft-touch | No         | 356      | Adjustable | 11,1-14                 |
| <b>CZ 457 SYNTHETIC 16"</b> | 22 LR (1 : 16) / 6                       | 5                 | 2,3         | 865         | 16 / 412,5            | Light          | No     | 1/2 × 20 | No          | Polymer | Soft-touch | No         | 356      | Adjustable | 11,1-14                 |
| <b>CZ 457 SYNTHETIC 20"</b> | 17 HMR (1 : 9) / 6                       | 5                 | 2,5         | 977         | 20 / 525              | Light          | No     | 1/2 × 20 | No          | Polymer | Soft-touch | No         | 356      | Adjustable | 11,1-14                 |
| <b>CZ 457 SYNTHETIC 20"</b> | 22 LR (1 : 16) / 6                       | 5                 | 2,5         | 977         | 20 / 525              | Light          | No     | 1/2 × 20 | No          | Polymer | Soft-touch | No         | 356      | Adjustable | 11,1-14                 |
| <b>CZ 457 SYNTHETIC 20"</b> | 22 WMR (1 : 16) / 6                      | 5                 | 2,5         | 977         | 20 / 525              | Light          | No     | 1/2 × 20 | No          | Polymer | Soft-touch | No         | 356      | Adjustable | 11,1-14                 |

## CZ 457 VARMINT SYNTHETIC

A model created at the request of our customers. It's an ideal choice for accurate sport shooting and hunting at medium to longer distances, due to its heavy barrel and polymer stock with increased resistance to adverse weather conditions.



## CZ 457 VARMINT LH

This model is also available as a left-handed version.



## CZ 457 VARMINT

A popular design with an American-style varnished stock and heavy 525 mm barrel, which makes it ideal for accurate sport shooting and hunting at medium to long distances. The proven 11 mm CZ dovetail is milled into the top of the receiver for attaching riflescope ringmounts.



## CZ 457 MTR

A highly precise model with an extraordinarily comfortable stock made from premium walnut. The heavy, cold hammer forged match-grade barrel in 22 LR caliber is equipped with a MATCH chamber. Thanks to this feature, together with other innovations in the CZ 457 series, the CZ 457 MTR guarantees 15 mm groups at a distance of 50 m.

| MODEL                               | CALIBER (TWIST RATE) / NUMBER OF GROOVES              | MAGAZINE CAPACITY | WEIGHT (kg) | LENGTH (mm) | BARREL LENGTH (mm) / (") | BARREL PROFILE | SIGHTS | THREAD   | COMPENSATOR | STOCK   | FINISH     | CHEEKPIECE | LOP (mm) | TRIGGER    | TRIGGER PULL WEIGHT (N) |
|-------------------------------------|---|-------------------|-------------|-------------|--------------------------|----------------|--------|----------|-------------|---------|------------|------------|----------|------------|-------------------------|
| <b>CZ 457 VARMINT SYNTHETIC 16"</b> | 17 HMR (1:9) / 6, 22 LR (1:16) / 6                    | 5                 | 2,6         | 865         | 16 / 412,5               | Heavy          | No     | 1/2 x 20 | No          | Polymer | Soft-touch | No         | 356      | Adjustable | 11,1-14                 |
| <b>CZ 457 VARMINT SYNTHETIC 20"</b> | 22 LR (1:16) / 6                                      | 5                 | 3           | 977         | 20 / 525                 | Heavy          | No     | 1/2 x 20 | No          | Polymer | Soft-touch | No         | 356      | Adjustable | 11,1-14                 |
| <b>CZ 457 VARMINT</b>               | 17 HMR (1:9) / 6, 22 LR (1:16) / 6, 22 WMR (1:16) / 6 | 5                 | 3,3         | 981         | 20 / 525                 | Heavy          | No     | 1/2 x 20 | No          | Walnut  | Varnish    | No         | 360      | Adjustable | 11,1-14                 |
| <b>CZ 457 VARMINT LH</b>            | 22 LR (1:16) / 6                                      | 5                 | 3,3         | 981         | 20 / 525                 | Heavy          | No     | 1/2 x 20 | No          | Walnut  | Varnish    | No         | 360      | Adjustable | 11,1-14                 |
| <b>CZ 457 MTR 16"</b>               | 22 LR (1:16) / 6                                      | 5                 | 3,5         | 859         | 16 / 412,5               | Heavy          | No     | 1/2 x 20 | No          | Walnut  | Oil        | No         | 350      | Adjustable | 11,1-14                 |
| <b>CZ 457 MTR 20"</b>               | 22 LR (1:16) / 6                                      | 5                 | 3,7         | 976         | 20 / 525                 | Heavy          | No     | 1/2 x 20 | No          | Walnut  | Oil        | No         | 350      | Adjustable | 11,1-14                 |



## CZ 457 AMERICAN LH

This model is also available as a left-handed version.



## CZ 457 AMERICAN

A beautiful, modern example of a classic American sport shooting and hunting rimfire rifle. The varnished American-style stock is made from high quality walnut, with checkering on the grip that incorporates a fleur-de-lis motif. The light profile, cold hammer forged barrel is 630 mm long and has no sights.



| MODEL                     | CALIBER (TWIST RATE) / NUMBER OF GROOVES                    | MAGAZINE CAPACITY | WEIGHT (kg) | LENGTH (mm) | BARREL LENGTH (" / mm) | BARREL PROFILE | SIGHTS | THREAD   | COMPENSATOR | STOCK  | FINISH  | CHEEKPIECE | LOP (mm) | TRIGGER    | TRIGGER PULL WEIGHT (N) |
|---------------------------|---|-------------------|-------------|-------------|------------------------|----------------|--------|----------|-------------|--------|---------|------------|----------|------------|-------------------------|
| <b>CZ 457 AMERICAN</b>    | 17 HMR (1 : 9) / 6, 22 LR (1 : 16) / 6, 22 WMR (1 : 16) / 6 | 5                 | 3,0         | 1087        | 24 / 630               | Light          | No     | 1/2 x 20 | No          | Walnut | Varnish | No         | 360      | Adjustable | 11,1-14                 |
| <b>CZ 457 AMERICAN LH</b> | 22 LR (1 : 16) / 6  | 5                 | 3,0         | 981         | 24 / 630               | Light          | No     | 1/2 x 20 | No          | Walnut | Varnish | No         | 360      | Adjustable | 11,1-14                 |



## CZ 457 JAGUAR XII

The CZ 457 JAGUAR XII is a modern version of the popular rimfire rifles from CZ. It features the longest barrel on offer (726 mm), as well as a tangent rear sight adjustable between 25 and 200 m, stock with a jaguar motif, and claw marks in place of traditional checkering. Standard accessories include a 10-round metal magazine.



## CZ 457 PREMIUM

The CZ 457 PREMIUM is a model that will impress all fans of classically shaped hunting rifles. Its premium walnut stock features a cheekpiece and decorative forend from high-grade material. The 630 mm light profile barrel has a 1/2 x 20 muzzle thread for the attachment of a suppressor. Aiming is quick and intuitive with its tangent rear sight and fiber optic front sight.

## CZ 457 PREMIUM LH



This model is also available as a left-handed version.

| MODEL                    | CALIBER (TWIST RATE) / NUMBER OF GROOVES                    | MAGAZINE CAPACITY | WEIGHT (kg) | LENGTH (mm) | BARREL LENGTH (" / mm) | BARREL PROFILE | SIGHTS | THREAD   | COMPENSATOR | STOCK  | FINISH  | CHEEKPIECE | LOP (mm) | TRIGGER    | TRIGGER PULL WEIGHT (N) |
|--------------------------|---|-------------------|-------------|-------------|------------------------|----------------|--------|----------|-------------|--------|---------|------------|----------|------------|-------------------------|
| <b>CZ 457 JAGUAR XII</b> | 22 LR (1 : 16) / 12   | 10                | 3,3         | 1182        | 28 / 726               | Light          | Yes    | 1/2 x 20 | No          | Beech  | Varnish | Yes        | 360      | Adjustable | 11,1-14                 |
| <b>CZ 457 PREMIUM</b>    | 17 HMR (1 : 9) / 6, 22 LR (1 : 16) / 6, 22 WMR (1 : 16) / 6 | 5                 | 3,2         | 1085        | 24 / 630               | Light          | Yes    | 1/2 x 20 | No          | Walnut | Oil     | Yes        | 360      | Adjustable | 11,1-14                 |
| <b>CZ 457 PREMIUM LH</b> | 22 LR (1 : 16) / 6  | 5                 | 3,2         | 1085        | 24 / 630               | Light          | Yes    | 1/2 x 20 | No          | Walnut | Oil     | Yes        | 360      | Adjustable | 11,1-14                 |



## CZ 457 LUX

An accurate, safe, reliable and modern rimfire rifle with a classic European centerfire hunting rifle design. The varnished stock with cheekpiece is made of high-quality Turkish walnut and features laser-etched checkering on the grip. Traditional iron sights come as standard.



## CZ 457 TRAINING RIFLE XII

CZ rimfire rifles with the Training Rifle moniker have traditionally been the ideal firearm for novice shooters of all ages. In this case, it is all the more true thanks to the benefits of the CZ 457 series that significantly increase user safety, accuracy and the rifle's service life. Like the CZ 457 JAGUAR XII, the barrel on this model comes with a 12 groove bore.



| MODEL                            | CALIBER (TWIST RATE) / NUMBER OF GROOVES                    | MAGAZINE CAPACITY | WEIGHT (kg) | LENGTH (mm) | BARREL LENGTH ("/ mm) | BARREL PROFILE | SIGHTS | THREAD   | COMPENSATOR | STOCK  | FINISH  | CHEEKPIECE | LOP (mm) | TRIGGER    | TRIGGER PULL WEIGHT (N) |
|----------------------------------|---|-------------------|-------------|-------------|-----------------------|----------------|--------|----------|-------------|--------|---------|------------|----------|------------|-------------------------|
| <b>CZ 457 LUX</b>                | 17 HMR (1 : 9) / 6, 22 LR (1 : 16) / 6, 22 WMR (1 : 16) / 6 | 5                 | 2,9         | 1088        | 24 / 630              | Light          | Yes    | 1/2 × 20 | No          | Walnut | Varnish | Yes        | 360      | Adjustable | 11,1-14                 |
| <b>CZ 457 TRAINING RIFLE XII</b> | 22 LR (1 : 16) / 12   | 5                 | 3,1         | 1085        | 24 / 630              | Light          | Yes    | 1/2 × 20 | No          | Beech  | Varnish | Yes        | 360      | Adjustable | 11,1-14                 |



5083-9057-01ND  
CZ 457 PICATINNY RAIL,  
BLACK

1070-7012  
SPUHR SCOPE MOUNT 2PCS  
HP40-30 Ø 34 H30 MM



C0302-0003  
LEICA RIFLESCOPE  
PRS 5-30x56 I

5133-1200-01ND  
CZ 457 / CZ 512 MAG 22 LR,  
10 ROUND, STEEL

5133-1200-02ND  
CZ 457 / CZ 512 MAG 22 LR, 10 ROUND,  
POLYMER

1099-0001  
HARRIS BIPOD

**RECOMMENDED**  
**ACCESSORIES**



5083-9057-01ND  
CZ 457 PICATINNY RAIL,  
BLACK

C0302-0000  
MEOPTA RIFLESCOPE  
MEOSPORT R 3-15 x 50 RD SFP

1070-7011  
SPUHR SCOPE MOUNT 2PCS  
HP 30-25 Ø 30 H25, 4MM



5133-1000-02ND  
CZ 457 / CZ 512 MAG 22 LR,  
5 ROUND, POLYMER

5133-1000-01ND  
CZ 457 / CZ 512 MAG 22 LR, 5 ROUND,  
STEEL

1081-7383  
TRIGATTI SLING LOOP  
(2 PCS IN PACKAGE)

C0315-0001  
CZ GAMEHAMMER RIFLE  
SLING, GREEN

# Rimfire Rifles

RIMFIRE RIFLES PARAMETERS

| MODEL                               | CALIBER (TWIST RATE) / NUMBER OF GROOVES              | MAGAZINE CAPACITY | WEIGHT (kg) | LENGTH (mm) | BARREL LENGTH ("/ mm) | BARREL PROFILE             | SIGHTS | THREAD       | COMPENSATOR | STOCK          | FINISH             | CHEEKPIECE | LOP (mm) | TRIGGER                  | TRIGGER PULL WEIGHT (N) |
|-------------------------------------|---|-------------------|-------------|-------------|-----------------------|----------------------------|--------|--------------|-------------|----------------|--------------------|------------|----------|--------------------------|-------------------------|
| <b>CZ 457 TARGET</b>                | 22 LR (1:16) / 6                                      | 1                 | 5,2         | 1151-1182   | 26 / 660              | Heavy                      | No     | No           | Diffuser    | Duralumin      | Hardcoat anodizing | Adjustable | 291-328  | Adjustable               | 0,9-1,8                 |
| <b>CZ 457 HUNTER STRATA</b>         | 22 LR (1:16) / 6                                      | 5                 | 2,5         | 977         | 20 / 525              | Light                      | No     | 1/2 x 20     | Yes         | Polymer        | Soft-touch         | No         | 356      | Adjustable               | 11,1-14                 |
| <b>CZ 457 HUNTER VEIL</b>           | 22 LR (1:16) / 6                                      | 5                 | 2,5         | 977         | 20 / 525              | Light                      | No     | 1/2 x 20     | Yes         | Polymer        | Soft-touch         | No         | 356      | Adjustable               | 11,1-14                 |
| <b>CZ 457 ERGO with sights</b>      | 22 LR (1:16) / 6                                      | 5                 | 2,3         | 976         | 20 / 525              | Light                      | Yes    | 1/2 x 20     | No          | Polymer        | VDI                | Detachable | 356      | Adjustable               | 11,1-14                 |
| <b>CZ 457 ERGO without sights</b>   | 22 LR (1:16) / 6                                      | 5                 | 2,3         | 976         | 20 / 525              | Light                      | No     | 1/2 x 20     | No          | Polymer        | VDI                | Detachable | 356      | Adjustable               | 11,1-14                 |
| <b>CZ 457 CARBON</b>                | 22 LR (1:16) / 6                                      | 5                 | 2,2         | 977         | 20 / 525              | Carbon fiber-wrapped steel | No     | 1/2 x 20 UNF | No          | Polymer        | Soft-touch         | No         | 356      | Single-stage, Adjustable | 11,1-14                 |
| <b>CZ 457 RANGE 20"</b>             | 22 LR (1:16) / 6                                      | 5                 | 3,7         | 980         | 20 / 525              | Heavy                      | No     | 1/2 x 20     | No          | Laminated Wood | Varnish            | Adjustable | 365      | Adjustable               | 11,1-14                 |
| <b>CZ 457 RANGE 24"</b>             | 22 LR (1:16) / 6                                      | 5                 | 4           | 990         | 24 / 630              | Heavy                      | No     | 1/2 x 20     | No          | Laminated Wood | Varnish            | Adjustable | 365      | Adjustable               | 11,1-14                 |
| <b>CZ 457 MDT</b>                   | 22 LR (1:16) / 6                                      | 5                 | 3,4         | 1022        | 20 / 525              | Heavy, Fluted              | No     | 1/2 x 20     | Yes         | Duralumin      | Cerakote           | Adjustable | 335-360  | Adjustable               | 11,1-14                 |
| <b>CZ 457 LRP BLACK</b>             | 22 LR (1:16) / 6                                      | 5                 | 3,9         | 1003        | 20 / 525              | Heavy, Fluted              | No     | 1/2 x 20     | Yes         | Beech          | Soft-touch         | Adjustable | 351-382  | Adjustable               | 11,1-14                 |
| <b>CZ 457 THUMBHOLE 16"</b>         | 22 LR (1:16) / 6                                      | 5                 | 3,2         | 885         | 16 / 412,5            | Heavy                      | No     | 1/2 x 20     | Yes         | Laminated      | Varnish            | Yes        | 360      | Adjustable               | 11,1-14                 |
| <b>CZ 457 THUMBHOLE 20"</b>         | 17 HMR (1:9) / 6                                      | 5                 | 3,6         | 997         | 20 / 525              | Heavy                      | No     | 1/2 x 20     | Yes         | Laminated      | Varnish            | Yes        | 360      | Adjustable               | 11,1-14                 |
| <b>CZ 457 THUMBHOLE 20"</b>         | 22 LR (1:16) / 6                                      | 5                 | 3,6         | 997         | 20 / 525              | Heavy                      | No     | 1/2 x 20     | Yes         | Laminated      | Varnish            | Yes        | 360      | Adjustable               | 11,1-14                 |
| <b>CZ 457 THUMBHOLE 20"</b>         | 22 WMR (1:16) / 6                                     | 5                 | 3,6         | 997         | 20 / 525              | Heavy                      | No     | 1/2 x 20     | Yes         | Laminated      | Varnish            | Yes        | 360      | Adjustable               | 11,1-14                 |
| <b>CZ 457 STAINLESS</b>             | 22 LR (1:16) / 6                                      | 5                 | 2,5         | 977         | 20 / 525              | Light                      | No     | 1/2 x 20     | No          | Polymer        | Soft-touch         | No         | 356      | Adjustable               | 11,1-14                 |
| <b>CZ 457 SYNTHETIC 16"</b>         | 22 LR (1:16) / 6                                      | 5                 | 2,3         | 865         | 16 / 412,5            | Light                      | No     | 1/2 x 20     | No          | Polymer        | Soft-touch         | No         | 356      | Adjustable               | 11,1-14                 |
| <b>CZ 457 SYNTHETIC 20"</b>         | 17 HMR (1:9) / 6                                      | 5                 | 2,5         | 977         | 20 / 525              | Light                      | No     | 1/2 x 20     | No          | Polymer        | Soft-touch         | No         | 356      | Adjustable               | 11,1-14                 |
| <b>CZ 457 SYNTHETIC 20"</b>         | 22 LR (1:16) / 6                                      | 5                 | 2,5         | 977         | 20 / 525              | Light                      | No     | 1/2 x 20     | No          | Polymer        | Soft-touch         | No         | 356      | Adjustable               | 11,1-14                 |
| <b>CZ 457 SYNTHETIC 20"</b>         | 22 WMR (1:16) / 6                                     | 5                 | 2,5         | 977         | 20 / 525              | Light                      | No     | 1/2 x 20     | No          | Polymer        | Soft-touch         | No         | 356      | Adjustable               | 11,1-14                 |
| <b>CZ 457 VARMINT SYNTHETIC 16"</b> | 17 HMR (1:9) / 6, 22 LR (1:16) / 6                    | 5                 | 2,6         | 865         | 16 / 412,5            | Heavy                      | No     | 1/2 x 20     | No          | Polymer        | Soft-touch         | No         | 356      | Adjustable               | 11,1-14                 |
| <b>CZ 457 VARMINT SYNTHETIC 20"</b> | 22 LR (1:16) / 6                                      | 5                 | 3           | 977         | 20 / 525              | Heavy                      | No     | 1/2 x 20     | No          | Polymer        | Soft-touch         | No         | 356      | Adjustable               | 11,1-14                 |
| <b>CZ 457 VARMINT</b>               | 17 HMR (1:9) / 6, 22 LR (1:16) / 6, 22 WMR (1:16) / 6 | 5                 | 3,3         | 981         | 20 / 525              | Heavy                      | No     | 1/2 x 20     | No          | Walnut         | Varnish            | No         | 360      | Adjustable               | 11,1-14                 |
| <b>CZ 457 VARMINT LH</b>            | 22 LR (1:16) / 6                                      | 5                 | 3,3         | 981         | 20 / 525              | Heavy                      | No     | 1/2 x 20     | No          | Walnut         | Varnish            | No         | 360      | Adjustable               | 11,1-14                 |
| <b>CZ 457 MTR 16"</b>               | 22 LR (1:16) / 6                                      | 5                 | 3,5         | 859         | 16 / 412,5            | Heavy                      | No     | 1/2 x 20     | No          | Walnut         | Oil                | No         | 350      | Adjustable               | 11,1-14                 |
| <b>CZ 457 MTR 20"</b>               | 22 LR (1:16) / 6                                      | 5                 | 3,7         | 976         | 20 / 525              | Heavy                      | No     | 1/2 x 20     | No          | Walnut         | Oil                | No         | 350      | Adjustable               | 11,1-14                 |
| <b>CZ 457 AMERICAN</b>              | 17 HMR (1:9) / 6, 22 LR (1:16) / 6, 22 WMR (1:16) / 6 | 5                 | 3,0         | 1087        | 24 / 630              | Light                      | No     | 1/2 x 20     | No          | Walnut         | Varnish            | No         | 360      | Adjustable               | 11,1-14                 |
| <b>CZ 457 AMERICAN LH</b>           | 22 LR (1:16) / 6                                      | 5                 | 3,0         | 981         | 24 / 630              | Light                      | No     | 1/2 x 20     | No          | Walnut         | Varnish            | No         | 360      | Adjustable               | 11,1-14                 |
| <b>CZ 457 JAGUAR XII</b>            | 22 LR (1:16) / 12                                     | 10                | 3,3         | 1182        | 28 / 726              | Light                      | Yes    | 1/2 x 20     | No          | Beech          | Varnish            | Yes        | 360      | Adjustable               | 11,1-14                 |
| <b>CZ 457 PREMIUM</b>               | 17 HMR (1:9) / 6, 22 LR (1:16) / 6, 22 WMR (1:16) / 6 | 5                 | 3,2         | 1085        | 24 / 630              | Light                      | Yes    | 1/2 x 20     | No          | Walnut         | Oil                | Yes        | 360      | Adjustable               | 11,1-14                 |
| <b>CZ 457 PREMIUM LH</b>            | 22 LR (1:16) / 6                                      | 5                 | 3,2         | 1085        | 24 / 630              | Light                      | Yes    | 1/2 x 20     | No          | Walnut         | Oil                | Yes        | 360      | Adjustable               | 11,1-14                 |
| <b>CZ 457 LUX</b>                   | 17 HMR (1:9) / 6, 22 LR (1:16) / 6, 22 WMR (1:16) / 6 | 5                 | 2,9         | 1088        | 24 / 630              | Light                      | Yes    | 1/2 x 20     | No          | Walnut         | Varnish            | Yes        | 360      | Adjustable               | 11,1-14                 |
| <b>CZ 457 TRAINING RIFLE XII</b>    | 22 LR (1:16) / 12                                     | 5                 | 3,1         | 1085        | 24 / 630              | Light                      | Yes    | 1/2 x 20     | No          | Beech          | Varnish            | Yes        | 360      | Adjustable               | 11,1-14                 |





# SHOTGUNS CZ-USA FIELD SPORTS

Borrowing from the most popular firearms in the CZ-USA portfolio, this diverse range of shotguns exhibits excellent construction quality, reliability and user-friendliness. The traditional core offer is a proven range of semi-automatic and pump action shotgun models for hunting and sport shooting, for which a wide selection of interchangeable chokes is available. There's something for everyone on the following pages.



## CZ SUPREME FIELD

An elegant over/under shotgun made for shooters who require more than just accuracy and reliability from their firearm. The beautiful CNC machined receiver is chrome plated, polished and hand engraved. The stock is made from carefully selected Turkish walnut (Grade III) and features a beautiful image. Additional features include ejectors and a single trigger mechanism that allows you to choose firing order of the barrels.

## CZ REDHEAD PREMIER

A high level, universal 12-gauge over/under shotgun designed for sport shooting and hunting. The precision CNC machined receiver is chrome plated, which gives it a shiny silver appearance. This model is equipped with ejectors for the fastest reloading times and a single trigger mechanism that allows you to choose the barrel firing order.

**NEW**

## CZ REDHEAD PREMIER TARGET

The CZ REDHEAD PREMIER TARGET shotgun offers a unique shooting experience thanks to its ergonomically designed Monte Carlo-style stock. This is accompanied by a pair of 30" barrels with five interchangeable chokes, a trigger mechanism allowing for easy and convenient firing of each barrel, and cross-bolt safety for maximum safety.

| MODEL                                | CHAMBERING | CAPACITY | WEIGHT (kg) | LENGTH (mm) | BARREL LENGTH ("/mm) | STOCK  | FINISH  | CHEEKPIECE | LOP (mm) | CHOKE         | EJECTOR/EXTRACTOR | 1ST TRIGGER PULL WEIGHT (N) | 2ND TRIGGER PULL WEIGHT (N) |
|--------------------------------------|------------|----------|-------------|-------------|----------------------|--------|---------|------------|----------|---------------|-------------------|-----------------------------|-----------------------------|
| <b>CZ SUPREME FIELD</b>              | 12/76      | 2        | 3,5         | 1160        | 28 / 710             | Walnut | Varnish | No         | 355      | Multi (5 pcs) | Ejectors          | 16                          | 16                          |
| <b>CZ REDHEAD PREMIER</b>            | 12/76      | 2        | 3,5         | 1160        | 28 / 710             | Walnut | Varnish | No         | 355      | Multi (5 pcs) | Ejectors          | 19,5                        | 15,5                        |
| <b>NEW CZ REDHEAD PREMIER TARGET</b> | 12/76      | 2        | 3,6         | 1225        | 30 / 710             | Walnut | Varnish | No         | 356      | Multi (5 pcs) | Ejectors          | 19                          |                             |



**NEW**

### CZ BOBWHITE G2

An updated version of our traditionally-styled Bobwhite, the CZ BOBWHITE G2 model features a CNCed receiver and modern internals that slim the action, while increasing service life and reliability. With double triggers and a straight, English-style grip, quick choke decisions can be made on the fly.



### CZ DRAKE

The CZ DRAKE is an over/under shotgun with an extremely advantageous price to performance ratio. CNC machining of components is also utilized for this model. Features include extractor operation, a single selectable trigger mechanism with the ability to choose the firing order of barrels, low weight due to the deletion of the mid-rib between barrels, and laser cut checkering for a slip-free grip.



Finished in hardy black chrome, the CZ BOBWHITE G2 will resist rust much better than a blued gun. Its 28" barrels are threaded for choke tubes and it ships with five flush chokes – from Cylinder to Full.

| MODEL                 | CHAMBERING | CAPACITY | WEIGHT (kg) | LENGTH (mm) | BARREL LENGTH ("/mm) | STOCK  | FINISH  | CHEEKPIECE | LOP (mm) | CHOKE         | EJECTOR/EXTRACTOR | 1ST TRIGGER PULL WEIGHT (N) | 2ND TRIGGER PULL WEIGHT (N) |
|-----------------------|------------|----------|-------------|-------------|----------------------|--------|---------|------------|----------|---------------|-------------------|-----------------------------|-----------------------------|
| <b>CZ DRAKE</b>       | 12/76      | 2        | 3,3         | 1160        | 28 / 710             | Walnut | Varnish | No         | 355      | Multi (5 pcs) | Extractor         | 19                          | 17,5                        |
| <b>CZ BOBWHITE G2</b> | 12/76      | 2        | 2,9         | 1140        | 28 / 710             | Walnut | Varnish | No         | 355      | Multi (5 pcs) | Extractor         | 19                          | 18                          |

## CZ 1012

A 12-gauge semi-automatic shotgun with a gasless inertia operating system for maximum reliability. Its user-friendliness was confirmed with a test of 5,000 shots without a drop of oil or any type of cleaning, while experiencing zero parts breakage or malfunctions. This model is equipped with a stock and forend made from Turkish walnut.



## CZ 1012 SYNTHETIC

A semi-automatic 12-gauge shotgun with a gasless inertia operating system, which provides maximum reliability with various types of ammunition, from light-recoiling target loads to powerful 3" magnums, and allows for a more relaxed maintenance schedule. A durable polymer stock makes it an ideal firearm for use in extremely inhospitable conditions. A wide range of chokes is also available for this model.



## CZ 612 HOME DEFENSE

A simple 12-gauge pump action shotgun with a durable polymer stock and reduced length, 47 cm barrel with fixed cylinder choke. The result is a compact, reliable and powerful firearm especially suited for home defense, while also being a great choice for competing in IPSC disciplines.



## CZ 612 FIELD

A reliable and affordable 12-gauge pump action shotgun for sport and hunting. The simple and durable pump reloading system has very low maintenance requirements, while the dual action bars make operation smooth and reliable. The stock is made of Turkish walnut and three interchangeable chokes come as part of its standard equipment.



| MODEL                      | CHAMBERING | CAPACITY | WEIGHT (kg) | LENGTH (mm) | BARREL LENGTH ("/mm) | STOCK   | FINISH  | CHEEKPIECE | LOP (mm) | CHOKE          | TRIGGER PULL WEIGHT (N) |
|----------------------------|------------|----------|-------------|-------------|----------------------|---------|---------|------------|----------|----------------|-------------------------|
| <b>CZ 1012</b>             | 12/76      | 4        | 3,5         | 1285        | 28 / 710             | Walnut  | Varnish | Yes        | 355      | Multi (5 pcs)  | 20                      |
| <b>CZ 1012 SYNTHETIC</b>   | 12/76      | 4        | 3,1         | 1285        | 28 / 710             | Polymer | -       | Yes        | 355      | Multi (5 pcs)  | 20                      |
| <b>CZ 612 HOME DEFENSE</b> | 12/76      | 4        | 2,6         | 970         | 18,5 / 470           | Polymer | -       | No         | 355      | Fixed Cylinder | 17                      |
| <b>CZ 612 FIELD</b>        | 12/76      | 4        | 2,8         | 1170        | 28 / 710             | Walnut  | Varnish | No         | 355      | Multi (3 pcs)  | 17                      |



# SEMI-AUTOMATIC RIFLES / CARBINES

The semi-automatic CZ SCORPION EVO 3 S1/S2 and CZ BREN 2 Ms series are among the world's elite in their respective categories. Their parameters and high level of performance make them an ideal choice for today's dynamic shooting sports, as well as maintaining shooting fitness and hobby shooting.

A person wearing a dark tactical jacket, a cap with a logo, and a headset is aiming a CZ Scorpion Evo 3 S1/S2 carbine. The carbine is equipped with a red dot sight and a magazine. The background is a blurred outdoor setting. The image is overlaid with a large orange and white diagonal graphic on the left side.

## ADVANCED SEMI-AUTOMATIC PISTOL CALIBER CARBINES FOR MODERN SPORTING DISCIPLINES

The unique design of the CZ SCORPION EVO 3 S1/S2 series offers its users many benefits, such as light weight, advanced ergonomics, high accuracy, comfortable handling, ease of disassembly, impressive reliability and extremely fast reloading.

**CZ SCORPION**  
**EVO 3 S1/S2**  
SERIES

Highly compact semi-automatic firearm for pistol caliber cartridges.



**NEW**

# CZ SCORPION EVO 3 S2 MICRO



A 9 × 19 caliber model based on the internationally popular CZ SCORPION EVO 3 pistol caliber carbine series. Despite a barrel length of only 140 mm, it retains high accuracy. The spiral three-arm flash hider effectively contributes to its impressive shooting comfort. A short forend made from highly durable aluminum alloy, with mounted hand stop, ensures a safe and reliable grip. Picatinny and M-LOK mounting interfaces are also at the user's disposal.



| MODEL   | CALIBER | TWIST RATE / NUMBER OF GROOVES | MAGAZINE CAPACITY | BARREL LENGTH ("/ mm) | THREAD         | SIGHTS           | WEIGHT WITHOUT MAGAZINE (kg) | OVERALL LENGTH WITH STOCK FOLDED / UNFOLDED - FULLY EXTENDED (mm) | HEIGHT WITH FOLDED IRON SIGHTS, NO MAGAZINE (mm) | WIDTH WITH STOCK UNFOLDED / FOLDED (mm) | TRIGGER PULL WEIGHT (N) | FRAME                         |
|---|---------|--------------------------------|-------------------|-----------------------|----------------|------------------|------------------------------|---|--|---|-------------------------|-------------------------------|
| <b>CZ SCORPION EVO 3 S2 MICRO</b><br><i>(with stock)</i>    | 9 × 19  | 1:10 / 6                       | 10                | 5,5 / 140 ± 0,3       | 1/2" × 28 UNEF | Iron, Adjustable | 2,6 ± 0,05                   | 386 ± 10 / 584 – 634 ± 10   | 215 ± 5  | 60 ± 5 / 82 ± 5                         | 48 ± 10                 | Fiberglass-reinforced polymer |
| <b>CZ SCORPION EVO 3 S2 MICRO</b><br><i>(without stock)</i> | 9 × 19  | 1:10 / 6                       | 10                | 5,5 / 140 ± 0,3       | 1/2" × 28 UNEF | Iron, Adjustable | 2,2 ± 0,05                   | 386 ± 10 / 386 ± 10   | 215 ± 5  | 60 ± 5                                  | 48 ± 10                 | Fiberglass-reinforced polymer |



Magazine is not included in the package.



## CZ SCORPION EVO 3 S1

A semi-automatic rifle chambered for pistol cartridges. Its simple design, extreme reliability, light weight, easy handling and accuracy make it the perfect fit for modern shooting sports and hobby shooting.



## CZ SCORPION EVO 3 S1 CARBINE

A highly accurate and reliable semi-automatic carbine with a 16" barrel that's fitted with an attractive faux-suppressor. Its long, fiberglass-reinforced polymer forend is equipped with a modern M-LOK attachment system for comfortable handling.



## CZ SCORPION EVO 3 S1 CARBINE COMP

The increased shooting comfort of this model is due to an effective two-chamber muzzle brake fitted on its 16" barrel and a long forend equipped with the M-LOK attachment system. It's a first-class firearm for modern sport and hobby shooting.

| MODEL                                    | CALIBER | TWIST RATE / NUMBER OF GROOVES | MAGAZINE CAPACITY | BARREL LENGTH ("/ mm) | THREAD         | SIGHTS           | WEIGHT WITHOUT MAGAZINE (kg) | OVERALL LENGTH WITH STOCK FOLDED / UNFOLDED - FULLY EXTENDED (mm) | HEIGHT WITH FOLDED IRON SIGHTS, NO MAGAZINE (mm) | WIDTH WITH STOCK UNFOLDED / FOLDED (mm) | TRIGGER PULL WEIGHT (N) | FRAME                         |
|--|---------|--------------------------------|-------------------|-----------------------|----------------|------------------|------------------------------|---|--|---|-------------------------|-------------------------------|
| <b>CZ SCORPION EVO 3 S1</b>              | 9 × 19  | 1:10 / 6                       | –                 | 7,7 / 196 ± 1         | 1/2" × 28 UNEF | Iron, Adjustable | 2,55 ± 0,05                  | 420 / 615–665 ± 10  | 215 ± 5  | 60 / 82 ± 5                             | 48 ± 10                 | Fiberglass-reinforced polymer |
| <b>CZ SCORPION EVO 3 S1 CARBINE</b>      | 9 × 19  | 1:10 / 6                       | –                 | 16,2 / 412 ± 1        | 1/2" × 28 UNEF | Iron, Adjustable | 3,05 ± 0,05                  | 630 / 830–880 ± 10  | 215 ± 5  | 60 / 82 ± 5                             | 48 ± 10                 | Fiberglass-reinforced polymer |
| <b>CZ SCORPION EVO 3 S1 CARBINE COMP</b> | 9 × 19  | 1:10 / 6                       | –                 | 16,2 / 412 ± 1        | 1/2" × 28 UNEF | Iron, Adjustable | 3,05 ± 0,05                  | 665 / 860–910 ± 10  | 215 ± 5  | 60 / 82 ± 5                             | 48 ± 10                 | Fiberglass-reinforced polymer |



## CZ SCORPION EVO 3 S1 CARBINE COMP 22 LR

# CZ SCORPION EVO 3 S1 22 LR

Exclusive, semi-automatic models for sport shooting with 22 LR cartridges. Both retain all advantages of the globally popular series, in addition to minimal recoil. Their dynamic bolt is optimized for reliable operation with all types of cartridges. Both models are equipped with a folding/telescopic shoulder stock, adjustable mechanical sights and a 10 round polymer magazine.



| MODEL                                    | CALIBER | TWIST RATE /<br>NUMBER OF<br>GROOVES | MAGAZINE<br>CAPACITY | BARREL<br>LENGTH ("/ mm) | THREAD         | SIGHTS           | WEIGHT<br>WITHOUT<br>MAGAZINE (kg) | OVERALL LENGTH WITH<br>STOCK FOLDED / UNFOLDED<br>- FULLY EXTENDED (mm) | HEIGHT WITH FOLDED<br>IRON SIGHTS,<br>NO MAGAZINE (mm) | WIDTH WITH STOCK<br>UNFOLDED / FOLDED (mm) | TRIGGER PULL<br>WEIGHT (N) | FRAME                         |
|--|---------|--------------------------------------|----------------------|--------------------------|----------------|------------------|------------------------------------|---|--|--|----------------------------|-------------------------------|
| <b>CZ SCORPION EVO 3 S1 CARBINE COMP</b> | 22 LR   | 1:10 / 6                             | 10                   | 16 / 416 ± 0,3           | 1/2" × 28 UNEF | Iron, Adjustable | 2,7 ± 0,05                         | 665 / 860-910 ± 10  | 215 ± 5  | 60 / 82 ± 5                                | 33 ± 5                     | Fiberglass-reinforced polymer |
| <b>CZ SCORPION EVO 3 S1 8"</b>           | 22 LR   | 1:16 / 6                             | 10                   | 8 / 200 ± 0,3            | M18 × 1        | Iron, Adjustable | 2,22 ± 0,05                        | 420 / 615-665 ± 10  | 215 ± 5  | 60 / 82 ± 5                                | 33 ± 5                     | Fiberglass-reinforced polymer |

Semi-auto



**RECOMMENDED  
ACCESSORIES**



A0216-0000  
ACRO WEAVER MOUNT  
QD 39MM 200519

B0101-0001  
AIMPOINT ACRO C-2  
RED DOT SIGHT

A0203-0013  
TACT. FLASHLIGHT  
WML 450 LM IF71011

A0105-0002  
FRONT HAND GUARD  
FOR CZ SCORPION EVO 3,  
M-LOK

3662-0800-0715ND  
CZ MAG 9 × 19, 10 ROUND

A man with a beard and glasses, wearing a patterned cap and a dark t-shirt, is holding a CZ Bren 2 Ms semi-automatic rifle. He is looking directly at the camera with a serious expression. The background is dark with a grid of circular patterns. The image is split diagonally from the top left, with an orange triangle on the left and a white triangle on the right.

## **CUTTING-EDGE SEMI-AUTOMATIC RIFLES WITH IMPRESSIVE PARAMETERS**

The CZ BREN 2 Ms semi-automatic platform is one of the most sophisticated on the global market. Its advantages include a simple design, extreme reliability, high accuracy, low weight and excellent ergonomics, as well as ambidextrous and easy to swap controls.

***CZ BREN 2 Ms***  
*SERIES*

## CZ BREN 2 Ms

The semi-automatic CZ BREN 2 Ms rifle is chambered in the popular 223 Rem. caliber. It features a short, interchangeable forend and 280 mm barrel. Despite its compact dimensions, it's a highly accurate firearm. Standard equipment includes mechanical sights.



## CZ BREN 2 Ms

This model combines the outstanding design features of the CZ BREN 2 Ms series with the impressive ballistic performance of the 7,62 × 39 cartridge. Standard equipment includes mechanical sights.



## CZ BREN 2 MS CARBINE

The CZ BREN 2 Ms semi-automatic carbine is chambered in the popular 223 Rem. caliber. It comes with a long, interchangeable forend, 425 mm barrel and extended folding/telescopic shoulder stock with raised comb. Its design is optimized for accurate shooting, even at longer distances. Standard equipment includes mechanical sights.



| MODEL                       | CALIBER   | TWIST RATE / NUMBER OF GROOVES | MAGAZINE CAPACITY | BARREL LENGTH ("/ mm) | THREAD         | SIGHTS                    | WEIGHT WITHOUT MAGAZINE (kg) | OVERALL LENGTH WITH STOCK FOLDED / UNFOLDED - FULLY EXTENDED (mm) | HEIGHT WITH FOLDED IRON SIGHTS, NO MAGAZINE (mm) | WIDTH WITH STOCK UNFOLDED / FOLDED (mm) | TRIGGER PULL WEIGHT (N) | UPPER RECEIVER         |
|-----------------------------|-----------|--------------------------------|-------------------|-----------------------|----------------|---------------------------|------------------------------|---|--|---|-------------------------|------------------------|
| <b>CZ BREN 2 Ms 11"</b>     | 223 Rem.  | 1:7 / 6                        | -                 | 11 / 280 ± 1          | 1/2" × 28 UNEF | Iron, Folding, Adjustable | 3,13 ± 0,05                  | 577 / 762-807 ± 10  | 202 ± 5  | 80 / 104 ± 5                            | 16 ± 4                  | 7075 T6 aluminum alloy |
| <b>CZ BREN 2 Ms 11"</b>     | 7,62 × 39 | 1:9,45 / 4                     | -                 | 11 / 280 ± 1          | M14 × 1 LH     | Iron, Folding, Adjustable | 3,03 ± 0,05                  | 577 / 762-807 ± 10  | 202 ± 5  | 80 / 104 ± 5                            | 16 ± 4                  | 7075 T6 aluminum alloy |
| <b>CZ BREN 2 Ms CARBINE</b> | 223 Rem.  | 1:7 / 6                        | -                 | 16,5 / 425 ± 1        | 1/2 × 28 UNEF  | Iron, Folding, Adjustable | 3,45 ± 0,05                  | 719 / 909-980 ± 10  | 202 ± 5  | 80 / 104 ± 5                            | 16 ± 4                  | 7075 T6 aluminum alloy |

Semi-auto



RECOMMENDED  
ACCESSORIES

A0201-0017  
AIMPOINT DUTY RDS  
2 MOA RED DOT SIGHT

A0201-0018  
AIMPOINT MAGNIFIER  
3×MAG-C



3722-3500-6503ND  
CZ MAG 5,56 × 45, 10 ROUND

# Accessories Pistols



**1091-1341-03**  
CZ 75 SP-01 AL MAGAZINE BASE PLATE – RED

**1091-1341-04**  
BLUE

**1091-1341-02**  
SILVER

**1091-1341-01**  
BLACK



**1091-1342-03**  
CZ TS AL MAGAZINE BASE PLATE – RED

**1091-1342-04**  
BLUE

**1091-1342-02**  
SILVER

**1091-1342-01**  
BLACK



**1091-1345-05**  
CZ SHADOW 2 ALU BASE PLATE FOR MAGWELL – PURPLE

**1091-1345-11**  
BLACK

**1091-1345-12**  
SILVER

**1091-1345-14**  
BLUE



**1091-1148-01**  
CZ TS WIDE MAGWELL – BLACK

**1091-1148-02**  
SILVER

**1091-1148-03**  
RED

**1091-1148-04**  
BLUE

**1091-1148-05**  
ORANGE



**1091-2280-01**  
CZ SHADOW 2 MAGWELL – BLACK (HARD ELOX)

**1091-2280-03**  
RED

**1091-2280-05**  
PURPLE

**1091-2280-12**  
SILVER

**1091-2280-14**  
BLUE

**B0306-0001**  
CZ SHADOW 2 COMPACT FLAT ALU BASE PLATE – BLUE



**B0306-0002**  
BLACK

**B0306-0003**  
RED

**B0306-0004**  
GREEN

**B0306-0005**  
PURPLE

**B0306-0006**  
SILVER

**B0306-0007**  
CZ SHADOW 2 ALU +2 BASE PLATE – BLUE



**B0306-0008**  
BLACK

**B0306-0009**  
RED

**B0306-0010**  
GREEN

**B0306-0011**  
PURPLE

**B0306-0012**  
SILVER

**B0305-0000**  
CZ SHADOW 2 COMPACT ALU MAGAZINE RELEASE BUTTON – BLUE



**B0305-0001**  
BLACK

**B0305-0002**  
RED

**B0305-0003**  
GREEN

**B0305-0004**  
PURPLE

**B0305-0010**  
SILVER



**0470-0080-1604ND**  
SLIDE RELEASE PIN FOR CZ TS 2



**1091-2180-05**  
CZ SHADOW 2 GRIPS – PURPLE (HARD ANODIZED)

**1091-2180-11**  
BLACK (HARD ANODIZED)

**1091-2180-12**  
SILVER (HARD ANODIZED)

**1091-2180-14**  
BLUE (HARD ANODIZED)



**B0105-0013**  
CZ TS 2 LONG GRIPS – BLACK

**B0105-0024**  
RED

**B0105-0015**  
BLUE

**B0105-0014**  
GREEN

**B0105-0016**  
GREY



**B0105-0022**  
CZ TS 2 SHORT GRIPS – GREEN

**B0105-0011**  
BLACK

**B0105-0023**  
RED

**B0105-0012**  
BLUE

**B0105-0025**  
SILVER



**B0305-0005**  
CZ SHADOW 2 COMPACT GRIPS – BLUE

**B0305-0008**  
GREEN

**B0305-0006**  
BLACK

**B0305-0007**  
RED

**B0305-0011**  
SILVER

**B0305-0009**  
PURPLE



**1091-1352**  
CZ TS 2 THUMBREST 20° ANGLE (RACING GREEN)

**1091-1353**  
CZ TS 2 THUMBREST 48° ANGLE (ORANGE)

**1091-1354**  
CZ TS 2 THUMBREST SHORTENED 20,5° ANGLE (DEEP BRONZE)



**1091-1320**  
SA | DA HAMMER



**1091-1321**  
SA HAMMER (CZ SHADOW, CZ TS)



**1091-1337**  
CZ 75 SP-01 / CZ SHADOW / CZ TS / CZ TS 2 SAFETY SET (L) WIDE



**1091-1338**  
CZ 75 SP-01 / CZ SHADOW 2 / CZ TS / CZ TS 2 SAFETY SET (R) WIDE



**1091-1312-01**  
CZ TS 2 TRIGGER, BLACK



**0471-0081-1606ND**  
CZ SHADOW 2 / CZ TS FLAT SLIDE RELEASE



**0423-2500-02ND**  
CZ 75 SP-01 / CZ SHADOW 2 / CZ TS / CZ TS 2 SAFETY SET (R)



**1091-1224**  
CZ 75 SP-01 SHADOW / CZ 75 SP-01 SHADOW ORANGE FLAT SAFETY SET

**1091-1336**  
CZ 75 SP-01 SHADOW / CZ 75 SP-01 SHADOW ORANGE SAFETY SET – RIGHT-HANDERS



**1091-1335**  
CZ SHADOW 2 / CZ SHADOW 2 COMPACT / CZ TS / CZ TS 2 WIDE SAFETY SET

# Accessories Pistols



**0422-0710-14ND**  
CZ 75 SP-01 / CZ SHADOW 2  
9 x 19 MAGAZINE, 17 ROUND, AFC

**0422-0710-15ND**  
CZ SP-01 / CZ SHADOW 2  
MAGAZINE, 19 ROUND, AFC


**0422-0710-17ND**  
CZ 75 / CZ 75 SP-01 SHADOW /  
CZ SHADOW 2 / CZ 75  
MAGAZINE, 19 ROUND

**0472-3710-0706ND**  
CZ 75 TS 9 x 19 MAGAZINE, 20 ROUND



**0472-3710-0713ND**  
CZ TS 2 RACING GREEN MAGAZINE,  
20 ROUND, GREEN

**0472-3710-0712ND**  
CZ TS 2 DEEP BRONZE MAGAZINE,  
20 ROUND, BLACK  
AL BASE PLATE (MAGWELL)



**5125-1049**  
CZ 75 DOUBLE MAGAZINE POUCH



**5125-1200**  
CZ TS 2 OWB KYDEX HOLSTER (R)

**5125-1201**  
CZ TS 2 OWB KYDEX HOLSTER (L)



**5125-1202**  
CZ TS 2 KYDEX SPORT HOLSTER (TEKLOK) (R)

**5125-1203**  
CZ TS 2 KYDEX SPORT HOLSTER (TEKLOK) (L)



**5118-0005-01**  
CZ SHADOW 2 NANUK CASE -  
BLACK

**5118-0005-02**  
OLIVE

**5118-0005-03**  
TAN

**5118-0005-04**  
GRAPHITE

**5118-0005-05**  
SILVER

**5118-0005-06**  
ORANGE



**1091-1420-01**  
CZ SHADOW 2 OPTICS-READY  
PLATE - TRIJICON RMR/SRO

**1091-1420-06**  
CZ SHADOW 2 OR PLATE -  
SHIELD RMS

**1091-1420-04**  
CZ SHADOW 2 OR PLATE -  
VENOM/DOCTER

**B0101-0002**  
CZ SHADOW 2 OPTICS-READY  
PLATE - ACRO



**0422-0710-16ND**  
CZ 75 / CZ 75 SP-01 / CZ SHADOW 2  
NICKEL MAGAZINE, 19 ROUND



**0472-3710-1617ND**  
CZ TS / CZ TS 2 40 S&W MAGAZINE,  
17 ROUND



**5125-1048**  
CZ 75 MAGAZINE POUCH



**B0115-0058**  
CZ SHADOW 2 COMPACT SHARKY  
IWB KYDEX HOLSTER (R)



**B0115-0057**  
CZ SHADOW 2 COMPACT FROGY  
OWB KYDEX HOLSTER (R)

**B0115-0045**  
CZ SHADOW 2 COMPACT  
OWB KYDEX HOLSTER, 1/2 SWG (R)

# Accessories Pistols



0722-0030-10ND  
CZ P-09 / CZ P-10 F  
9 × 19 MAGAZINE, 19 ROUND, AFC

0532-0030-10ND  
CZ P-10 F 45 AUTO  
45 AUTO MAGAZINE, 13 ROUND

0722-0030-05ND  
CZ P-09 / CZ P-10 F  
9 × 19 MAGAZINE, 10 ROUND, AFC

0552-0030-10ND  
CZ P-09 / CZ P-10 F  
9 × 19 MAGAZINE, 15 ROUND, AFC, WH

0552-0030-04ND  
CZ P-10 C / CZ P-07  
9 × 19 MAGAZINE, 10 ROUND, AFC, WH


0552-0030-06ND  
CZ P-10 C 9 × 19 MAGAZINE, 17 ROUND  
(CAN BE USED FOR CZ P-07)



1081-0171  
CZ P-10 GIS PSR 9/7 SUPPRESSOR (STANDARD)


B1081-0136M  
CZ P-10 B&T STANDARD SUPPRESSOR 9 MM SD-988667 1/2"-28

B0107-0002M  
SILENCER PMM-6 9 MM 1/2"-28



5125-1808  
CZ P-10 M IWB KYDEX  
MAGAZINE POUCH

5125-1809  
CZ P-10 M OWB KYDEX  
MAGAZINE POUCH



5125-1047  
CZ P-07/09 KYDEX DOUBLE MAGAZINE POUCH

5125-1810  
CZ P-10 M OWB KYDEX DOUBLE MAGAZINE POUCH



5118-0004-01  
CZ P-10 NANUK CASE –  
BLACK

5118-0004-02  
OLIVE

5118-0004-03  
TAN

5118-0004-04  
GRAPHITE

5118-0004-05  
SILVER



5125-1099  
CZ P-10 C OWB KYDEX HOLSTER (R)

5125-1098  
CZ P-10 C OWB KYDEX HOLSTER (L)

5125-1190-02  
CZ P-10 F B&T COMPACT KYDEX HOLSTER (L)

5125-1190-01  
CZ P-10 F OWB KYDEX HOLSTER (R)

5125-1191-02  
CZ P-10 S OWB KYDEX HOLSTER (L)

5125-1191-01  
CZ P-10 S KYDEX HOLSTER (R)

5125-1040  
CZ P-09 OWB KYDEX HOLSTER (R)

5125-1041  
CZ P-09 OWB KYDEX HOLSTER (L)

5125-1042  
CZ P-07 OWB KYDEX HOLSTER (R)

5125-1043  
CZ P-07 OWB KYDEX HOLSTER (L)

5125-1060  
CZ 75 OWB KYDEX HOLSTER (R)

5125-1062  
CZ 75 SP-01 OWB KYDEX HOLSTER (R)



1091-1410-08  
CZ P-10 OPTICS-READY ACRO PLATE

1091-1410-01  
CZ P-10 OPTICS-READY PLATE –  
RMR/SRO

1091-1410-03  
CZ P-10 OR PLATE – DOCTER/VENOM

1091-1410-09  
CZ P-10 OR PLATE, C-MORE



5125-1801  
CZ P-10 M IWB KYDEX HOLSTER, 1/2 SWG (R)

5125-1802  
CZ P-10 M IWB KYDEX HOLSTER, 1/2 SWG (L)

B0115-0031  
CZ P-10 S IWB KYDEX HOLSTER,  
FULL SWG 149 FLUSHCLIP (R)

B0115-0032  
CZ P-10 C IWB KYDEX HOLSTER,  
FULL SWG 149 FLUSHCLIP (R)

B0115-0037  
CZ P-10 M IWB KYDEX HOLSTER,  
FULL SWG 149 FLUSHCLIP (R)



5125-1803  
CZ P-10 M OWB KYDEX HOLSTER (R)

5125-1804  
CZ P-10 M OWB KYDEX HOLSTER (L)



5125-1230  
CZ P-10 F, 45 AUTO OWB KYDEX HOLSTER, NO SWG (R)

5125-1231  
CZ P-10 F, 45 AUTO OWB KYDEX HOLSTER, NO SWG (L)

5125-1232  
CZ P-10 F, 45 AUTO OWB KYDEX HOLSTER, 1/2 SWG (R)

5125-1234  
CZ P-10 F, 45 AUTO OWB KYDEX HOLSTER, FULL SWG (R)

5125-1235  
CZ P-10 F, 45 AUTO OWB KYDEX HOLSTER, FULL SWG (L)



1091-1360  
CZ P-10 AL ENLARGED MAGAZINE  
BASE PLATE



B0115-0070  
KYDEX POUZDRO OWB FROGY P10 C P.170

B0115-0072  
KYDEX POUZDRO OWB FROGY P10 F P.170

B0115-0071  
KYDEX POUZDRO OWB FROGY P09 NOCTURNE C P.170

B0115-0073  
KYDEX POUZDRO OWB FROGY P09 NOCTURNE F P.170



0580-0323-02  
CZ P-10 M MAGAZINE RELEASE  
LEFT SIDE

1091-1380-01  
CZ P-10 ANODIZED AL TRIGGER –  
BLACK

1091-1380-02  
RED

1091-1380-03  
BLUE

1091-1380-04  
GREEN

1091-1390-01  
CZ P-10 MICRO AL TRIGGER –  
BLACK

1091-1390-02  
RED

1091-1390-03  
BLUE

1091-1390-04  
GREEN




1091-1377-01  
CZ P-10 S, C, F 9 × 19  
MAGAZINE RELEASE – BLACK

1091-1377-02  
RED

1091-1377-03  
BLUE

1091-1377-04  
GREEN

# Accessories Pistols



**0721-0700-03ND**  
STEEL TRITIUM SIGHTS H3 (5,50 MM)

**0721-0700-02ND**  
STEEL TRITIUM SIGHTS H2 (5,50 MM)

**0721-0700-04ND**  
STEEL TRITIUM SIGHTS H4 (6,00 MM)



**1081-0101**  
CZ SHADOW 2  
ADJUSTABLE REAR SIGHT



**B0106-0017-07**  
CZ TS ORANGE  
ADJUSTABLE REAR SIGHT



**1081-0220**  
CZ TS 2  
FULLY ADJUSTABLE REAR SIGHT



**1091-1250-01**  
FRONT SIGHT WITH DOT H1 5,25 MM

**1091-1250-02**  
FRONT SIGHT WITH DOT H2 5,50 MM

**1091-1250-03**  
FRONT SIGHT WITH DOT H3 5,75 MM

**1091-1250-04**  
FRONT SIGHT WITH DOT H4 6,00 MM

**1091-1250-05**  
FRONT SIGHT WITH DOT H5 6,25 MM

**1091-1250-06**  
FRONT SIGHT WITH DOT H6 6,50 MM

**1091-1250-07**  
FRONT SIGHT WITH DOT H7 6,75 MM

**1091-1250-08**  
FRONT SIGHT WITH DOT H8 7,00 MM

**1091-1250-09**  
FRONT SIGHT WITH DOT H9 7,50 MM

**1091-1250-10**  
FRONT SIGHT WITH DOT H10 8,00 MM

**1091-1250-11**  
FRONT SIGHT WITH DOT H11 8,50 MM



**1091-1251-01**  
CHECKERED FRONT SIGHT H1 5,25 MM

**1091-1251-02**  
CHECKERED FRONT SIGHT H2 5,50 MM

**1091-1251-03**  
CHECKERED FRONT SIGHT H3 5,75 MM

**1091-1251-04**  
CHECKERED FRONT SIGHT H4 6,00 MM

**1091-1251-05**  
CHECKERED FRONT SIGHT H5 6,25 MM

**1091-1251-06**  
CHECKERED FRONT SIGHT H6 6,50 MM

**1091-1251-07**  
CHECKERED FRONT SIGHT H7 6,75 MM (UNI ADAPT.)

**1091-1251-08**  
CHECKERED FRONT SIGHT H8 7,00 MM

**1091-1251-09**  
CHECKERED FRONT SIGHT H9 7,50 MM

**1091-1251-10**  
CHECKERED FRONT SIGHT H10 8,00 MM

**1091-1251-11**  
CHECKERED FRONT SIGHT H11 8,50 MM



**1091-1252-01**  
FIBER OPTIC FRONT SIGHT H1 1x5,25 MM

**1091-1252-02**  
FIBER OPTIC FRONT SIGHT H2 1x5,50 MM

**1091-1252-03**  
FIBER OPTIC FRONT SIGHT H3 1x5,75 MM

**1091-1252-04**  
FIBER OPTIC FRONT SIGHT H4 1x6,00 MM

**1091-1252-05**  
FIBER OPTIC FRONT SIGHT H5 1x6,25 MM

**1091-1252-06**  
FIBER OPTIC FRONT SIGHT H6 1x6,50 MM

**1091-1252-07**  
FIBER OPTIC FRONT SIGHT H7 1x6,75 MM

**1091-1252-08**  
FIBER OPTIC FRONT SIGHT H8 1x7,00 MM

**1091-1252-09**  
FIBER OPTIC FRONT SIGHT H9 1x7,50 MM

**1091-1252-10**  
FIBER OPTIC FRONT SIGHT H10 1x8,00 MM

**1091-1252-11**  
FIBER OPTIC FRONT SIGHT H11 1x8,50 MM



**1091-1253-01**  
FIBER OPTIC FRONT SIGHT H1 1,5x5,25 MM

**1091-1253-02**  
FIBER OPTIC FRONT SIGHT H2 1,5x5,50 MM

**1091-1253-03**  
FIBER OPTIC FRONT SIGHT H3 1,5x5,75 MM

**1091-1253-04**  
FIBER OPTIC FRONT SIGHT H4 1,5x6,00 MM

**1091-1253-05**  
FIBER OPTIC FRONT SIGHT H5 1,5x6,25 MM

**1091-1253-06**  
FIBER OPTIC FRONT SIGHT H6 1,5x6,50 MM

**1091-1253-07**  
FIBER OPTIC FRONT SIGHT H7 1,5x6,75 MM

**1091-1253-08**  
FIBER OPTIC FRONT SIGHT H8 1,5x7,00 MM

**1091-1253-09**  
FIBER OPTIC FRONT SIGHT H9 1,5x7,50 MM

**1091-1253-10**  
FIBER OPTIC FRONT SIGHT H10 1,5x8,00 MM

**1091-1253-11**  
FIBER OPTIC FRONT SIGHT H11 1,5x8,50 MM

| FRONT SIGHT HEIGHT | FRONT SIGHT WITH DOT * | FRONT SIGHT WITHOUT DOT * | FIBER OPTIC FRONT SIGHT 1 MM ** | FIBER OPTIC FRONT SIGHT 1.5 MM ** |
|--------------------|------------------------|---------------------------|---------------------------------|-----------------------------------|
| 5,25 mm            | 1091-1250-01           | 1091-1251-01              | 1091-1252-01                    | 1091-1253-01                      |
| 5,5 mm             | 1091-1250-02           | 1091-1251-02              | 1091-1252-02                    | 1091-1253-02                      |
| 5,75 mm            | 1091-1250-03           | 1091-1251-03              | 1091-1252-03                    | 1091-1253-03                      |
| 6 mm               | 1091-1250-04           | 1091-1251-04              | 1091-1252-04                    | 1091-1253-04                      |
| 6,25 mm            | 1091-1250-05           | 1091-1251-05              | 1091-1252-05                    | 1091-1253-05                      |
| 6,5 mm             | 1091-1250-06           | 1091-1251-06              | 1091-1252-06                    | 1091-1253-06                      |
| 6,75 mm            | 1091-1250-07           | 1091-1251-07              | 1091-1252-07                    | 1091-1253-07                      |
| 7 mm               | 1091-1250-08           | 1091-1251-08              | 1091-1252-08                    | 1091-1253-08                      |
| 7,5 mm             | 1091-1250-09           | 1091-1251-09              | 1091-1252-09                    | 1091-1253-09                      |
| 8 mm               | 1091-1250-10           | 1091-1251-10              | 1091-1252-10                    | 1091-1253-10                      |
| 8,5 mm             | 1091-1250-11           | 1091-1251-11              | 1091-1252-11                    | 1091-1253-11                      |

\* CZ P-07, CZ P-09, CZ 75 COMPACT, CZ 75 D COMPACT, CZ 75, CZ 75 B Ω, CZ 85, CZ 97, CZ SP-01, CZ 75 SP-01 TACTICAL, CZ SHADOW, CZ 75 SP-01 PHANTOM, CZ 75 TS, CZ 75 TS CZECHMATE,

\*\* CZ 75 COMPACT, CZ 75 D COMPACT, CZ 75, CZ 75 B Ω, CZ 85, CZ 97, CZ SP-01, CZ 75 SP-01 TACTICAL, CZ SHADOW, CZ 75 SP-01 PHANTOM, CZ 75 TS, CZ 75 TS CZECHMATE

|                          | REAR SIGHT HEIGHT | DEFENDER REAR SIGHT WITH DOT | DEFENDER REAR SIGHT WITHOUT DOT | TARGET REAR SIGHT WITH DOT | TARGET REAR SIGHT WITHOUT DOT | FIBER OPTIC REAR SIGHT |
|--------------------------|-------------------|------------------------------|---------------------------------|----------------------------|-------------------------------|------------------------|
| CZ P-07 / CZ P-09        | 7,3 mm            | 1091-1260                    | 1091-1263                       | 1091-1266                  | 1091-1269                     | 1091-1272              |
| CZ 75 / CZ 85 / CZ SP-01 | 8,3 mm            | 1091-1261                    | 1091-1264                       | 1091-1267                  | 1091-1270                     | 1091-1273              |
| CZ 75 SP-01 SHADOW       | 10 mm             | 1091-1262                    | 1091-1265                       | 1091-1268                  | 1091-1271                     | 1091-1274              |

|                   | SIGHT HEIGHT | WITH 1 MM FIBER OPTIC | WITH 1,5 MM FIBER OPTIC | TRITIUM FRONT SIGHT | TRITIUM REAR SIGHT |
|-------------------|--------------|-----------------------|-------------------------|---------------------|--------------------|
| CZ P-07 / CZ P-09 | 5,5 mm       | 1091-1282-02          | 1091-1283-02            | 0720-0600-06ND      | 0720-0690-01ND     |
| CZ P-07 / CZ P-09 | 5,75 mm      | 1091-1282-03          | 1091-1283-03            | 0720-0600-07ND      | 0720-0690-01ND     |
| CZ P-07 / CZ P-09 | 6 mm         | 1091-1282-04          | 1091-1283-04            | 0720-0600-08ND      | 0720-0690-01ND     |

# Accessories Pistols



**B0101-0004**  
RED DOT HOLOSUN HE508T-RD X2

**B0101-0012**  
RED DOT HOLOSUN HE509T-RD X2

**B0101-0006**  
RED DOT HOLOSUN HS407K X2



**3700-7801**  
TRIJICON SRO - RED DOT SIGHT, 1 MOA

**3700-7800**  
TRIJICON SRO - RED DOT SIGHT, 2,5 MOA

**3700-7802**  
TRIJICON SRO - RED DOT SIGHT, 5 MOA



**B0101-0013**  
RED-DOT SHIELD RMS2-4MOA-GLASS

**B0101-0014**  
RED DOT SHIELD SMS2-4MOA-GLASS



**3700-7700**  
TRIJICON RMR - RED DOT SIGHT



**B0103-0001**  
STREAMLIGHT TLR-7 FLASHLIGHT A SML69424

**B0103-0002**  
STREAMLIGHT TLR-8 FLASHLIGHT A (RED LASER)

**B0103-0003**  
STREAMLIGHT TLR-8 G FLASHLIGHT (GREEN LASER)

**B0103-0004**  
STREAMLIGHT TLR-1 HL FLASHLIGHT SML69260

**B0103-0005**  
STREAMLIGHT TLR-1 FLASHLIGHT S SML69210

**B0103-0006**  
STREAMLIGHT TLR-9 FLEX FLASHLIGHT SML69464



**B0101-0001**  
AIMPOINT ACRO C-2 - RED DOT SIGHT



**1070-7010**  
SPUHR 2-PIECE MOUNT,  
1" DIAMETER, 1" HEIGHT

**1070-7011**  
SPUHR 2-PIECE MOUNT,  
30 MM DIAMETER, 1" HEIGHT

**1070-7012**  
SPUHR 2-PIECE MOUNT,  
34 MM DIAMETER, 1,18" HEIGHT



**1070-7013**  
SPUHR ISMS 2-PIECE MOUNT,  
30 MM DIAMETER, 1" HEIGHT

**1070-7014**  
SPUHR ISMS 2-PIECE MOUNT,  
34 MM DIAMETER, 1" HEIGHT



**C0300-0017**  
CZ 600 WEAVER RAIL FOR DURALUMIN RECEIVER - MEDIUM

**C0300-0018**  
CZ 600 WEAVER RAIL FOR DURALUMIN RECEIVER - LONG



**C0300-0003**  
CZ 600 LONG PICATINNY RAIL, 0 MOA

**C0300-0001**  
CZ 600 MEDIUM PICATINNY RAIL, 0 MOA

**C0300-0002**  
CZ 600 MEDIUM PICATINNY RAIL, 25 MOA

**C0300-0000**  
CZ 600 SHORT PICATINNY RAIL, 0 MOA



**C0300-0004**  
CZ 600 2-PIECE REMINGTON MOUNT,  
1" DIAMETER, 30 MM HEIGHT

**C0300-0005**  
2-PIECE MOUNT, 30 MM DIAMETER,  
34 MM HEIGHT

**C0300-0006**  
2-PIECE MOUNT, 34 MM DIAMETER,  
34 MM HEIGHT



**C0300-0007**  
CZ 600 2-PIECE WEAVER MOUNT,  
1" DIAMETER, 30 MM HEIGHT

**C0300-0008**  
2-PIECE MOUNT, 30 MM DIAMETER, 34 MM HEIGHT

**C0300-0009**  
2-PIECE MOUNT, 34 MM DIAMETER, 34 MM HEIGHT



**C0300-0010**  
CZ 600 MINI ONE-PIECE WEAVER MOUNT,  
30 MM DIAMETER, 30 MM HEIGHT

**C0300-0011**  
MEDIUM 30 MM DIAMETER, 34 MM HEIGHT

**C0300-0012**  
MEDIUM 34 MM DIAMETER, 34 MM HEIGHT

**C0300-0013**  
LONG 30 MM DIAMETER, 34 MM HEIGHT

**C0300-0014**  
LONG 34 MM DIAMETER, 34 MM HEIGHT



**C0300-0015**  
CZ 600 ONE-PIECE MEDIUM REMINGTON  
MOUNT, 30 MM DIAMETER, 34 MM HEIGHT

**C0300-0016**  
MEDIUM 34 MM DIAMETER, 34 MM HEIGHT

**1070-7016**  
SPUHR RED DOT SIGHT ADAPTER -  
TRIJICON RMR MOUNT

**1070-7015**  
SPUHR RED DOT SIGHT ADAPTER -  
DELTA POINT MOUNT



# Accessories Centerfire Rifles

# Accessories Centerfire Rifles



C0302-0000  
MEOPTA MEOSPORT R 3-15 x 50 RD SFP RIFLESCOPE



C0302-0001  
LEICA MAGNUS 1-6.3 x 24 I (L-3D) RIFLESCOPE



C0302-0002  
LEICA FORTIS 6 2.5-15 02 x 56 I (L-4A) RIFLESCOPE



C0302-0006  
RIFLESCOPE TRACE ADVANCED 5-30X56ED RMG 2 ILLUMINATED TR5306F-IR



C0307-0016M  
SILENCER A-TEC OPTIMA 45 ≤ 223 15x1  
C0307-0025M – 45 ≤ 6,5 15x1  
C0307-0019M – 45 ≤ 30 15x1  
C0307-0021M – 45 ≤ 338 15x1  
C0307-0031M – 45 ≤ 6,5 18x1  
C0307-0032M – 45 ≤ 30 18x1



C0307-0017M  
SILENCER A-TEC OPTIMA 50 ≤ 223 15x1  
C0307-0026M – 50 ≤ 6,5 15x1  
C0307-0027M – 50 ≤ 30 15x1  
C0307-0022M – 50 ≤ 338 15x1  
C0307-0033M – 50 ≤ 6,5 18x1  
C0307-0034M – 50 ≤ 30 18x1



C0108-0000  
BIPOD TACTICAL TK4 6,5-9" CZ 600 MDT



6000-7202-01ND  
CZ 600 TRIGGER GUARD FOR WOOD STOCK



A0310-0028  
LONG CLEANING ROD – CARBON FIBER Ø 5 L=910MM UNC 8-32




C0310-0000  
223 REM. CLEANING BRUSH SET



6000-0010-01ND  
M15 x 1 THREAD PROTECTOR, LIGHT PROFILE BARREL

6000-0010-04ND  
M15 x 1 THREAD PROTECTOR, SEMI-HEAVY PROFILE BARREL

6000-0010-08ND  
M18 x 1 THREAD PROTECTOR, HEAVY PROFILE BARREL



6000-3322-01ND  
CZ 600 PLASTIC BOLT KNOB



6000-3320-02ND  
CZ 600 WOOD BOLT KNOB



6000-3320-03ND  
CZ 600 RANGE DURALUMIN BOLT KNOB



6000-3320-51ND  
CZ 600 TRAIL DURALUMIN BOLT KNOB



6002-9000-01ND  
CZ 600 CENTERFIRE RIFLE TOOLS



6003-4000-6401ND  
CZ 600 MAG 223 REM., 5 ROUND

6003-4000-7301ND  
CZ 600 MAG 7,62 x 39, 5 ROUND



6003-4000-5301ND  
CZ 600 MAG 308 WIN., 6 MM CREEDMOOR, 6,5 CREEDMOOR - 5 ROUND / 6,5 PRC - 3 ROUND

6003-4500-5301ND  
CZ 600 MAG 308 WIN., 6 MM CREEDMOOR, 6,5 CREEDMOOR, 243 WIN. - 10 ROUND / 6,5 PRC - 6 ROUND



6003-4000-6901ND  
CZ 600 MAG 30-06 SPRING., 8 x 57 IS - 5 ROUND / 300 WIN. MAG. - 3 ROUND



6003-4500-5301ND  
CZ 600 MAG 308 WIN., 6 MM CREEDMOOR, 6,5 CREEDMOOR, 243 WIN. - 10 ROUND / 6,5 PRC - 6 ROUND

**Accessories  
Centerfire Rifles**



5120-0600  
CZ PREMIUM RIFLE BAG – BROWN



5120-0700  
CZ PREMIUM RIFLE BAG – GREEN



5500-2990-01ND  
TRIGATTI SLING STUD FOR SLING  
LOOP ON WOOD STOCK



545130060481  
MUZZLE BRAKE FOR M18 x 1 THREAD,  
ONLY FOR CZ TSR



1081-7383  
TRIGATTI SLING LOOP  
(2 PCS IN PACKAGE)



1002-4100-05  
ATI SLING LOOP ON RIFLE SLING



5812-1293-04ND  
CZ 457 / CZ 600 SLING LOOP  
FOR WOOD STOCKS



C0315-0000  
CZ GAMEHAMMER RIFLE SLING – BLACK  
C0315-0001  
CZ GAMEHAMMER RIFLE SLING – GREEN  
C0315-0002  
CZ SAUENHAMMER RIFLE SLING – ORANGE



5120-0110-01  
CZ RIFLE SLING, NYLON / RUBBER – GREEN



5120-0110-02  
CZ RIFLE SLING, NYLON / RUBBER – BROWN



5120-0110-03  
CZ RIFLE SLING, NYLON / RUBBER – ORANGE



5120-0110-04  
CZ RIFLE SLING, TWEED / RUBBER – TWEED



5120-0110-11  
CZ RIFLE SLING, LEATHER / RUBBER – LIGHT BROWN



5120-0110-12  
CZ RIFLE SLING, LEATHER / RUBBER – DARK BROWN



5120-0110-09  
CZ RIFLE SLING, NYLON / RUBBER – BLACK



5120-0110-05  
CZ RIFLE SLING, NYLON / RUBBER – CAMOUFLAGE

# Accessories Rimfire Rifles



5133-1000-01ND  
CZ 455 / CZ 457 / CZ 512  
22 LR METAL MAGAZINE, 5 ROUND



5073-1000-8802ND  
CZ 455 / CZ 457 / CZ 512  
22 WMR / 17 HMR DURABLE  
POLYMER MAGAZINE, 5 ROUND



5133-1000-02ND  
CZ 455 / CZ 457 / CZ 512  
22 LR DURABLE POLYMER  
MAGAZINE, 5 ROUND



5133-1200-02ND  
CZ 455 / CZ 457 / CZ 512  
22 LR DURABLE POLYMER  
MAGAZINE, 10 ROUND



5073-1200-8802ND  
CZ 455 / CZ 457 / CZ 512  
22 WMR / 17 HMR DURABLE  
POLYMER MAGAZINE, 10 ROUND



5133-1200-01ND  
CZ 455 / CZ 457  
22 LR METAL MAGAZINE, 10 ROUND



5131-1001-02ND  
ONE ROUND MAGAZINE



5123-1225-03ND  
CZ 455 / CZ 457 / CZ 512  
22 LR DURABLE POLYMER  
MAGAZINE, 15 ROUND



5123-1225-02ND  
CZ 455 / CZ 457 / CZ 512  
22 LR DURABLE POLYMER  
MAGAZINE, 25 ROUND



1070-7001  
CZ 455 / CZ 457 / CZ 512  
2-PIECE MOUNT, 1" DIAMETER



1070-7015  
SPUHR PLATE FOR MOUNTING  
DELTA POINT RED DOT SIGHTS

1070-7016  
SPUHR PLATE FOR MOUNTING  
TRIJICON RMR RED DOT SIGHTS



1070-7002  
CZ 455 / CZ 457 / CZ 512  
2-PIECE MOUNT, 30 MM DIAMETER



5083-9059-01ND  
CZ 457 DIOPTRER ADAPTER RAIL



1070-9057  
CZ 457 PICATINNY RAIL, BLACK



C0302-0005  
RIFLESCOPE 3-12x40 VENGEANCE R3 SFP

The VENGEANCE range of riflescopes delivers a quality, value for money shooting experience without short-changing on feature availability and robust engineering.

|  |                       |
|--|-----------------------|
| <b>Lens Diameter:</b>                    | <b>40 mm</b>          |
| <b>Magnification:</b>                    | <b>3-12x</b>          |
| <b>Tube Diameter:</b>                    | <b>1"</b>             |
| <b>Reticle Focal Plane:</b>              | <b>Reticle R3 SFP</b> |
| <b>Illumination Type:</b>                | <b>No</b>             |
| <b>Adjustment Click Value:</b>           | <b>1/4 MOA</b>        |
| <b>Parallax:</b>                         | <b>50 m</b>           |
| <b>Resistance to Weather Conditions:</b> | <b>Yes</b>            |
| <b>Waterproof:</b>                       | <b>Yes</b>            |



1070-9058  
CZ 457 PICATINNY RAIL, 25 MOA, BLACK

# Accessories Rimfire Rifles

5083-0096-8591V1ND  
CZ LRP 22 LR MINISET, 5 ROUND, 525 MM, 1/2 × 20



5083-0190-83V1ND  
CZ 457 JAGUAR 22 LR MINISET, 10 ROUND, 726 MM, 1/2 × 20

5083-0190-8982V1ND  
CZ 457 PREMIUM 17 HMR MINISET, 24" 1/2 × 20



5083-0190-82V1ND  
CZ 457 PREMIUM 22 LR MINISET, 24" 1/2 × 20

083-0190-8882V1ND  
CZ 457 PREMIUM 22 WMR MINISET, 24" 1/2 × 20

5083-0090-8991V1ND  
CZ 457 VARMINT 17 HMR MINISET, 5 ROUND, 525 MM, 1/2 × 20

5083-0090-8594V1ND  
CZ 457 VARMINT MTR 22 LR MATCH MINISET, 16" 1/2 × 20



5083-0090-8591V1ND  
CZ 457 VARMINT MTR 22 LR MATCH MINISET, 20" 1/2 × 20

5083-0090-91V1ND  
CZ 457 VARMINT 22 LR MINISET, 20" 1/2 × 20

5083-0090-8891V1ND  
CZ 457 VARMINT 22 WMR MINISET, 20" 1/2 × 20



5083-0090-8594V1ND  
CZ 457 MTR 22 LR MINISET, 5 ROUND, 525 MM, 1/2 × 20

5083-0190-8982V1ND  
CZ 457 AMERICAN 17 HMR MINISET, 5 ROUND, 630 MM, 1/2 × 20

5083-0090-8982V1ND  
CZ 457 AMERICAN 17 HMR MINISET, 24" 1/2 × 20



5083-0090-82V1ND  
CZ 457 AMERICAN 22 LR MINISET, 24" 1/2 × 20

5083-0090-8882V1ND  
CZ 457 AMERICAN 22 WMR MINISET, 24" 1/2 × 20



5083-0091-81V1ND  
CZ 457 STAINLESS 22 LR MINISET, 5 ROUND, 525 MM, 1/2 × 20



5120-0330-01  
CZ 457 RUBBER BOLT KNOB



5070-0070-11ND  
COMPENSATOR FOR 1/2 × 20 UNF THREAD (AMERICAN)

5070-0070-21ND  
COMPENSATOR FOR 1/2 × 20 UNF THREAD (VARMINT)



5080-0060-80ND  
1/2 × 20 UNF THREAD PROTECTOR (AMERICAN)

5080-0060-90ND  
1/2 × 20 UNF THREAD PROTECTOR (VARMINT)



C0307-0010  
SILENCER A-TEC CMM-6 22LR 1/2"-20

C0307-0011  
SILENCER A-TEC CMM-6 22LR 1/2"-28



C0307-0012  
SILENCER WAVE 22LR 1/2"-20

C0307-0013  
SILENCER WAVE 22LR 1/2"-28

C0307-0014  
SILENCER WAVE CARBON 22LR 1/2"-20

C0307-0015  
SILENCER WAVE CARBON 22LR 1/2"-28



A0310-0028  
LONG CLEANING ROD - CARBON FIBER Ø 5 L=910MM UNC 8-32



C0405-0000  
CZ 457 TRIGGER GUARD - BLACK

C0405-0001  
CZ 457 TRIGGER GUARD - GOLD

C0405-0002  
CZ 457 TRIGGER GUARD - GREEN

C0405-0003  
CZ 457 TRIGGER GUARD - RED

C0405-0004  
CZ 457 TRIGGER GUARD - BLUE



C0310-0000  
223 REM. CLEANING BRUSH SET



5120-0400  
CZ BASIC RIFLE BAG - BLACK



5120-0500  
CZ BASIC RIFLE BAG - FDE

# Accessories Semi-Auto



A0203-0013  
TACT. FLASHLIGHT WML 450 LM IF71011

A0203-0014  
TACT. FLASHLIGHT WML 450LM IF71011DE FDE

A0203-0015  
TACT. FLASHLIGHT WML 400 LM IR IF71013

A0203-0016  
TACT. FLASHLIGHT WMLX 1100LM IF71012

A0203-0017  
TACT. FLASHLIG. WMLX 900LM IR IF71014



A0203-0009  
SUREFIRE M600DF-BK FLASHLIGHT

A0203-0010  
SUREFIRE M312C-BK FLASHLIGHT

A0203-0012  
SUREFIRE M340 DFT PRO TURBO FLASHLIGHT

A0103-0018  
SUREFIRE 1000LM M640U-BK-PRO FLASHLIGHT



A0101-0027  
AIMPOINT MICRO H-2 LRP  
RED DOT SIGHT MOUNT 39 MM 200211



A0212-0003  
CZ BREN 2, CZ SCORPION EVO 3  
SET - STANDARD FPS DURAL SIGHTS

A0212-0004  
CZ BREN 2, CZ SCORPION EVO 3  
SET - STANDARD FPS SAFETY SIGHTS

A0212-0005  
CZ BREN 2, CZ SCORPION EVO 3  
SET - STANDARD FPS PLAST SIGHTS



A0210-0014  
AIM 50 TACTICAL DRAGBAG - GREEN

A0210-0013  
AIM 40 TACTICAL DRAGBAG - GREEN



3722-3500-7310ND  
CZ MAG 7,62 x 39, 10 ROUND



3722-3500-6501 ND  
CZ MAG 5,56 x 45, 30 ROUND

3722-3500-6503ND  
CZ MAG 5,56 x 45, 10 ROUND



A0106-0002  
CZ SCORPION EVO 3 MAG 22 LR,  
10 ROUND



3662-0770-0725ND  
CZ SCORPION EVO 3 MAG 9 x 19, 20 ROUND

3662-0800-0715ND  
CZ SCORPION EVO 3 MAG 9 x 19, 10 ROUND

3662-0780-0735ND  
CZ SCORPION EVO 3 MAG 9 x 19, 30 ROUND



A0101-0010  
TRIJICON MRO RED DOT SIGHT, 39 MM, SCREW



A0201-0020  
RED DOT HOLOSUN HS403B



A0201-0026  
MAGNIFIER MODUL HOLOSUN HM3X



A0210-0007  
SM-2001 MICRO MOUNT

A0210-0010  
SM-3002 MOUNT FOR TRIJICON MRO RED DOT SIGHT,  
ABSOLUTE



A0210-0012  
QDM-3001 MOUNT FOR TRIJICON MRO RED DOT SIGHT



A0210-0002  
QD SLING SWIVEL 47 MM

A0310-0003  
QD SLING SWIVEL 25 MM



A0310-0006  
M-LOK QD MOUNT FOR SLING LOOP



A0107-0010M  
SILENCER A-TEC SMG 9MM SCORPION 1/2"-28

A0107-0011M  
SILENCER A-TEC SMG 9MM SCORPION M18x1

A0107-0012M  
SILENCER A-TEC SMG 9MM SCORPION SHORT M18x1



A0207-0068M  
SILENCER A-FLOW SHORT 223 REM. QD-LOCK BIRDCAGE 1/2-28

A0207-0070M  
SILENCER A-FLOW NORMAL 223 REM. QD-LOCK BIRDCAGE 1/2-28



A0105-0001  
CZ SCORPION EVO 3 FRONT HAND GUARD



A0105-0002  
FRONT HAND GUARD FOR  
CZ SCORPION EVO 3, M-LOK



A0310-0007  
M-LOK DURAL RAIL, 5 SLOTS

A0310-0008  
M-LOK DURAL RAIL, 3 SLOTS

A0310-0019  
M-LOK DURAL RAIL, 9 SLOTS

A0310-0020  
M-LOK DURAL RAIL, 11 SLOTS



A0308-0007  
BIPOD TACTICAL TK4 6,5-9" COMBAT



A0308-0008  
BIPOD TACTICAL TK4 6,5-9" PRS WEAVER

D2800-0300  
1/2 POINT SLING FOR CZ BREN 2 - BLACK

D2800-0600  
1/2 POINT SLING FOR CZ BREN 2 - FDE



# LIMITED EDITIONS

CZ is proud of the tradition and exceptional quality it has been bringing to market for decades. For important anniversaries, events, or milestones, we create limited editions of our firearms that merge precise, modern technology with the masterful craftsmanship of our engravers.



Each piece is a unique work of art that bears the stamp of impeccable design, functionality, and the love of detail. These unique firearms are not only a testament to the CZ tradition, but also a symbol that represents the union of history and innovation.

For true collectors and connoisseurs of exceptional firearms, we offer the opportunity

to acquire these limited editions through auctions. This opportunity is not only the chance to become the owner of an exclusive masterpiece, but also to support the tradition and art that CZ represents. Our limited editions are more than just firearms - they are a celebration of the seamless blending of technology, craftsmanship, and Czech artistry.



## THE COMBINATION OF TRADITION, QUALITY AND ART



MORE INFO HERE:  
[czfirearms.com/limited-editions/](http://czfirearms.com/limited-editions/)

# CZ CONFIGURATOR

*Build the firearm  
of your dreams*

Since 2019, Ceska zbrojovka a.s. has offered its customers an unrivalled opportunity to build a firearm in exact accordance with their wants and needs via an interactive website. You can choose the color of the frame and slide, type of sights (including red dot sights), size and color of the controls, magazine capacity and much more. After placing a binding order, the configured firearm is assembled and ready for final sale, which takes place in accordance with legal regulations.

The CZ Configurator is now available for CZ customers in eleven countries around the world – **Czech Republic, Austria, France, Germany, Italy, Philippines, Poland, Slovakia, Spain, South Africa, and the USA.**

*Build the firearm of your dreams now!*



[czconfigurator.com](http://czconfigurator.com)

Ceska zbrojovka a.s. is a member of **Colt CZ Group SE**

## COLT CZGROUP



COLT  
CZDEFENCE  
SOLUTIONS

COLT  
CZHUNGARY

